# Health Status Profiles

# **United States**

# 2000 Demographic Information

# **2000 Population Information**

# **Socioeconomic Indicators**

Population	281.421.906	Population Under 100% of I
Percent White		Percent of the Population
Percent American Indian	0.9%	Population Under 200% of I
Percent Age 65 or Over	12.4%	Percent of the Population
Percent Age 4 or Under	6.8%	_

Population Under 100% of Poverty	33,899,812
Percent of the Population	12.4%
Population Under 200% of Poverty	81,194,609
Percent of the Population	29.6%

# 2002 Health Status Indicators<sup>1</sup>

# Natality Mortality<sup>5</sup>

Percent Low Birth Weight Infants	3%
Percent of Mothers Receiving	
Care in 1st Trimester 83.7	7%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup> 11.4	1%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	3%
Fertility Rate <sup>3</sup> 64	1.8
Teenage Pregnancy Rate <sup>4</sup> 53	3.5

ALL CAUSES 847.3  Heart Disease 241.7  Acute Myocardial Infarction 62.3  Heart Failure 19.6  Atherosclerotic Cardiovascular Disease 23.6
Acute Myocardial Infarction
Heart Failure
Heart Failure
3.5.12 (37. 1. ( ) )
Malignant Neoplasms (cancer)
Trachea, Bronchus, & Lung54.7
Colon, Rectum, & Anus
Female Breast 28.3
Prostate
Pancreas
Leukemia
Non-Hodgkin's Lymphoma7.6
Cerebrovascular Disease
Accidents 37.0
Motor Vehicle Accidents
Chronic Lower Respiratory Diseases
Influenza & Pneumonia 22.8
Diabetes Mellitus
Alzheimer's Disease
Nephritis, Nephrotic Syndrome, & Nephrosis14.2
Intentional Self-Harm (suicide)
Infant Mortality7.0

#### Notes:


<sup>1</sup> Only one year of U.S. data are given to compare with five years of state and county data because the numbers on the national level are much greater and do not fluctuate as much annually.

<sup>2</sup> Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>3</sup> The fertility rate is all births per 1,000 women age 15-44.

<sup>4</sup> Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group. The U.S. teenage pregnancy rate is from 2000.

<sup>5</sup> The mortality rates, except infant mortality and fetal deaths are age-adjusted death rates per 100,000 population. Age-adjusting to the standard million population eliminates differences between populations, making them easier to compare. Infant mortality is calculated as the number of infant (less than one year old) deaths per 1,000 live births. The fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths per 1,000 live births.



# **2000 Population Information**

Population	754,844
Percent White	
Percent American Indian	9.0%
Percent Age 65 or Over	14.3%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	95,900
Percent of the Population	
Population Under 200% of Poverty	240,886
Percent of the Population	33.1%

See Technical Notes for more information. Source: South Dakota Department of Health

# **Health Status Indicators**<sup>1</sup> 1999-2003

**Natality** 

Tutuity
• Percent Low Birth Weight Infants
• Percent of Mothers Receiving
Care in 1st Trimester 79.2%
• Percent of Mothers Who
Used Tobacco While Pregnant <sup>2</sup>
Percent of Mothers Who
Consumed Alcohol While Pregnant <sup>2</sup> 2.3%
oFertility Rate³
• Teenage Pregnancy Rate <sup>4</sup>
Mortality <sup>5</sup>
•ALL CAUSES794.6
• Heart Disease 223.0
• Acute Myocardial Infarction
· · · · · · · · · · · · · · · · · · ·
Heart Failure
Malignant Neoplasms (cancer)
• Trachea, Bronchus, & Lung
oColon, Rectum, & Anus
• Female Breast
oProstate 32.0
Pancreas
oLeukemia 8.5
ONon-Hodgkin's Lymphoma9.0
Cerebrovascular Disease
oAccidents
oMotor Vehicle Accidents
Chronic Lower Respiratory Diseases
Influenza & Pneumonia 23.7
•Diabetes Mellitus
• Alzheimer's Disease
Nephritis, Nephrotic Syndrome, & Nephrosis
oIntentional Self-Harm (suicide)
Infant Mortality7.0
•Denotes a health status indicator which is significantly better than
the national average.

- ODenotes a health status indicator which is significantly worse than the national average.

LNE (Low Number of Events): is used because the rate or percent

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

Duimour Coro

Primary Care	
Physicians <sup>6</sup>	519.70 FTE
PA/NP/CNM <sup>7</sup>	225.10 FTE
Federally Qualified Health Care Centers	s <sup>8</sup> 26
Rural Health Clinics <sup>9</sup>	54
Community Health Services Offices	63
Public Health Alliance <sup>10</sup>	12
Public Health Alliance <sup>10</sup>	4
Family Planning Service Sites	18
Disease Intervention Offices <sup>12</sup>	6
WIC <sup>13</sup> Only Sites	21
WIC <sup>13</sup> Only Sites Bright Start Home Visits Program <sup>14</sup>	2
Hospitals	
	15
Hospitals Critical Access Hospitals 15	33
Specialized Hospitals <sup>16</sup>	14
Veterans Administration Hospitals	
Indian Health Service Hospitals	5
Long-Term Care	
Nursing Facilities	113
Assisted Living Centers	157
Residential Living Centers	
Home Health Agencies	61
Medicare Certified Hospices	24
Licensed Inpatient Hospices	3

6 Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>10</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.

<sup>&</sup>lt;sup>11</sup>CSHS provides diagnostic, consultative and care coordination services for children with special health care needs.


<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>14</sup>Bright Start nurses provide home visits to expectant and new moms to help them improve their own and their babies' health and to be good parents.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>16</sup>Specialized hospitals do not provide all the services required to qualify as a general hospital, such as, surgical, obstetrical and emergency services.



Aurora County is located in the south central portion of the state and averages 4.3 persons per square mile.

# **2000 Population Information**

Population	3,058
Percent White	
Percent American Indian	2.1%
Percent Age 65 or Over	21.6%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	327
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	38.3%

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

### **Natality**

Percent Low Birth Weight Infants	5.3%
Percent of Mothers Receiving	
Care in 1st Trimester	84.6%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	13.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	60.3
Teenage Pregnancy Rate <sup>4</sup>	

# Mortality<sup>5</sup>

ALL CAUSES....

ALL CAUSES	
Heart Disease	168.3
Acute Myocardial Infarction	82.9
Heart Failure	23.0
Atherosclerotic Cardiovascular Disease	19.1
Malignant Neoplasms (cancer)	183.1
Trachea, Bronchus, & Lung	26.7
Colon, Rectum, & Anus	36.4
Female Breast	77.0
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	57.9
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	27.4
Influenza & Pneumonia	33.3
Diabetes Mellitus	27.8
Alzheimer's Disease	15.8
Nephritis, Nephrotic Syndrome, & Nephrosis	15.4
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE
•	

 $\bullet$  Denotes a health status indicator which is significantly better than the state average.

 $\circ Denotes$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.30 FTE
PA/NP/CNM <sup>7</sup>	1.00 FTE

Federally Qualified Health Care Center<sup>8</sup>: Aurora County Clinic, Plankinton

Community Health Services & WIC<sup>13</sup>: Aurora County Courthouse, Plankinton

# Hospitals

None

# **Long-Term Care**

#### **Nursing Facilities:**

Aurora-Brule Nursing Home, White Lake..... 62 beds

#### **Assisted Living Centers:**

Stickney Manor, Stickney 8 beds

#### **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

#### **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Beadle County is located in the center of eastern South Dakota and averages 13.5 persons per square mile.

# **2000 Population Information**

Population	17,023
Percent White	
Percent American Indian	1.3%
Percent Age 65 or Over	19.4%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	1,977
Percent of the Population	
Population Under 200% of Poverty	5,740
Percent of the Population	34.5%

 $<sup>{}^{\</sup>bar{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

# **Natality**

Percent Low Birth Weight Infants	7.6%
Percent of Mothers Receiving	
Care in 1st Trimester	78.6%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	19.6%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	1.3%
•Fertility Rate <sup>3</sup>	
Teenage Pregnancy Rate <sup>4</sup>	17.7
Montality <sup>5</sup>	

# Mortality<sup>5</sup>

ALL CAUSES	758.4
Heart Disease	219.3
Acute Myocardial Infarction	76.8
Heart Failure	
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	3.3
Malignant Neoplasms (cancer)	184.7
Trachea, Bronchus, & Lung	46.9
Colon, Rectum, & Anus	22.2
Female Breast	31.5
Prostate	16.0
Pancreas	9.3
Leukemia	6.2
Non-Hodgkin's Lymphoma	9.5
Cerebrovascular Disease	45.8
Accidents	28.4
Motor Vehicle Accidents	15.0
Chronic Lower Respiratory Diseases	40.5
oInfluenza & Pneumonia	35.4
Diabetes Mellitus	21.7
• Alzheimer's Disease	10.2
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	
Infant Mortality	
,	

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

### **Primary Care**

Physicians <sup>6</sup>	16.00	FTE
PA/NP/CNM <sup>7</sup>	8.20	FTE

**Community Health Services & WIC**<sup>13</sup>: 495 3<sup>rd</sup> SW, Huron

# **Family Planning Service Site:**

Women's Health & Education Center, Huron

# Hospitals

Huron Regional	
Medical Center, Huron	91 beds/10 swing <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

Huron Nursing Home, Huron	157 beds
Violet Tschetter Memorial Home	Huron 58 beds

# **Assisted Living Centers:**

Prairie Crossings, Huron	14 beds
Prairie Crossings, Huron	16 beds
Stoneybrook Suites, Huron	54 beds

#### **Residential Living Centers:**

Caring Hearts,	Huron	4 beds	S

#### **Home Health Agencies:**

Huron Regional Medical Center Home Health Agency, Huron

# **Medicare Certified Medicare Certified Hospices:**

Huron Regional Medical Center Hospice, Huron

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics.

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care



Bennett County is located on the southern border in western South Dakota and averages 3.0 persons per square mile.

# **2000 Population Information**

Population	3,574
Percent White	40.9%
Percent American Indian	58.1%
Percent Age 65 or Over	11.1%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,367
Percent of the Population	39.2%
Population Under 200% of Poverty	2,144
Percent of the Population	61.5%

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

### **Natality**

Percent Low Birth Weight Infants	5.4%
oPercent of Mothers Receiving	
Care in 1st Trimester	53.1%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	20.2%
<ul> <li>Percent of Mothers Who</li> </ul>	
Consumed Alcohol While Pregnant <sup>2</sup>	4.9%
oFertility Rate <sup>3</sup>	90.1
oTeenage Pregnancy Rate <sup>4</sup>	42.7

# Mortality<sup>5</sup>

OALL CALISES

OALL CAUSES	1028./
Heart Disease	262.9
Acute Myocardial Infarction	50.4
Heart Failure	51.4
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	236.2
Trachea, Bronchus, & Lung	32.4
Colon, Rectum, & Anus	25.5
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	34.1
Accidents	74.6
Motor Vehicle Accidents	38.3
Chronic Lower Respiratory Diseases	71.5
Influenza & Pneumonia	51.2
oDiabetes Mellitus	65.2
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	37.9
Infant Mortality	LNE

# $\bullet$ Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

### **Primary Care**

Physicians <sup>6</sup>	1.80	FTE
PA/NP/CNM <sup>7</sup>	1.00	FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Bennett County Family Health Care Clinic, Martin

Community Health Services, WIC<sup>13</sup> & Family Planning: Bennett County Courthouse, Martin

# **Hospitals**

# Critical Access Hospital<sup>15</sup>:

Bennett County Healthcare Center	
Martin	.20 beds/10 swing <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

Bennett County Healthcare Center, Martin..... 40 beds

#### **Assisted Living Centers:**

Bennett County Healthcare Center, Martin...... 2 beds

#### **Residential Living Centers:**

None

1028.7

#### **Home Health Agencies:**

Bennett County Home Health, Martin

#### **Medicare Certified Hospices:**

None

home care.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

# **Bon Homme County**

# **Demographic Information**



Bon Homme County is located on the Nebraska border in eastern South Dakota and averages 12.9 persons per square mile.

# **2000 Population Information**

Population	7,260
Percent White	95.5%
Percent American Indian	3.3%
Percent Age 65 or Over	20.8%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	802
Percent of the Population	12.9%
Population Under 200% of Poverty	2,274
Percent of the Population	36.5%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	4.7%
Percent of Mothers Receiving	
Care in 1st Trimester	89.6%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	14.9%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	2.0%
•Fertility Rate <sup>3</sup>	57.1
Teenage Pregnancy Rate <sup>4</sup>	16.4
3.5 . 30. 5	

# Mortality<sup>5</sup>

•ALL CAUSES	674.9
Heart Disease	224.8
Acute Myocardial Infarction	46.0
Heart Failure	19.7
oAtherosclerotic Cardiovascular Disease	28.4
Malignant Neoplasms (cancer)	174.4
• Trachea, Bronchus, & Lung	31.6
Colon, Rectum, & Anus	24.8
Female Breast	28.3
Prostate	23.5
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	12.4
Cerebrovascular Disease	34.4
• Accidents	24.7
Motor Vehicle Accidents	18.2
• Chronic Lower Respiratory Diseases	
Influenza & Pneumonia	19.8
Diabetes Mellitus	27.3
Alzheimer's Disease	15.1
Nephritis, Nephrotic Syndrome, & Nephrosis	16.1
Intentional Self-Harm (suicide)	
Infant Mortality	LNE
-	

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

### **Primary Care**

_	
Physicians <sup>6</sup>	2.90 FTE
PA/NP/CNM <sup>7</sup>	

# **Rural Health Clinics**<sup>9</sup>:

Bon Homme Family Practice Clinic, Avon Bon Homme Family Practice Clinic, Tyndall

Community Health Services, WIC<sup>13</sup> & Family Planning: 103 West 18<sup>th</sup> Ave, Tyndall

# **Hospitals**

# **Critical Access Hospitals**<sup>15</sup>:

Landmann-Jungman Memorial Hos	
Scotland	25 beds/10 swing <sup>17</sup>
St. Michael's Hospital, Tyndall	25 beds/10 swing <sup>17</sup>

#### **Long-Term Care**

#### **Nursing Facilities:**

Tyndall Good Samaritan Center, Tyndall	71 beds
St. Michael's Nursing Home, Tyndall	9 beds
Scotland Good Samaritan, Scotland	46 beds

#### **Assisted Living Centers:**

TERRETOR ELITING COLLEGE		
Scotland Good Samaritan, Scotland	3	beds
Springfield ALC Springfield 36	5	beds

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

St. Michael's Home Health, Tyndall Scotland Area Home Care Agency, Scotland

#### **Medicare Certified Hospices:**

Scotland Area Hospice, Scotland

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.


<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

# **Brookings County**

# **Demographic Information**



Brookings County is located on the eastern border of the state and averages 35.5 persons per square mile.

# **2000 Population Information**

Population	28,220
Percent White	96.4%
Percent American Indian	1.2%
Percent Age 65 or Over	10.9%
Percent Age 4 or Under	5.7%

#### Socioeconomic Indicators

Population Under 100% of Poverty	3,562
Percent of the Population	
Population Under 200% of Poverty	8,050
Percent of the Population	31.7%

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

# 1999-2003

Natanty	
Percent Low Birth Weight Infants	5.2%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	86.6%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	13.2%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
•Fertility Rate <sup>3</sup>	43.2
•Teenage Pregnancy Rate <sup>4</sup>	13.2

# Mortality<sup>5</sup>

•ALL CAUGES	
Heart Disease	211.8
Acute Myocardial Infarction	73.6
Heart Failure	18.0
Atherosclerotic Cardiovascular Disease	16.9
Malignant Neoplasms (cancer)	170.5
Trachea, Bronchus, & Lung	37.9
Colon, Rectum, & Anus	18.6
Female Breast	23.5
Prostate	26.7
Pancreas	11.9
Leukemia	10.0
Non-Hodgkin's Lymphoma	3.7
Cerebrovascular Disease	69.4
Accidents	38.8
Motor Vehicle Accidents	17.3
Chronic Lower Respiratory Diseases	28.4
Influenza & Pneumonia	18.9
Diabetes Mellitus	15.1
Alzheimer's Disease	12.8
•Nephritis, Nephrotic Syndrome, & Nephrosis	4.0
Intentional Self-Harm (suicide)	
Infant Mortality	
-	

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	15.00 FTE
PA/NP/CNM <sup>7</sup>	5.00 FTE

# **Rural Health Clinics**<sup>9</sup>:

Volga Community Clinic, Volga

White Family Practice Clinic, White

Community Health Services & WIC<sup>13</sup>: 1310 Main Ave. S., Brookings

### **Family Planning Service Site:**

Brookings Obstetrics & Gynecology, Brookings

#### **Hospitals**

Brookings Hospital, Brookings.....61 beds/20 swing<sup>17</sup>

# **Long-Term Care**

Brookview Manor, Brookings ...... 79 beds

# **Nursing Facilities:**

United Retirement Center, Brookings	76	beds
White Healthcare Center, White	27	beds
Assisted Living Centers:		
Dakota Sun Assisted Living, Volga	16	beds
Elkton Assisted Living, Elkton	10	beds
Greenleaf Assisted Living, Brookings	34	beds
Park Place Assisted Living, Brookings	36	beds
Prairie Crossings, 807 Onaka, Brookings	16	beds
Prairie Crossings, 817 Onaka, Brookings	16	beds
Stoneybrook Suites, Brookings	16	beds
White Pines ALC, White	10	beds

#### **Residential Living Centers:**

Park Place Apartments, Brookings ......22 beds

#### **Home Health Agencies:**

Brookings Hospital Home Health Agency, Brookings

# **Medicare Certified Hospices:**

Brookings Hospital Hospice, Brookings

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

# **Brown County**

# **Demographic Information**



Brown County is located on the North Dakota border in the eastern part of the state and averages 20.7 persons per square mile.

# 2000 Population Information

Population	35,460
Percent White	
Percent American Indian	3.3%
Percent Age 65 or Over	16.2%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	3,373
Percent of the Population	9.9%
Population Under 200% of Poverty	10,334
Percent of the Population	30.4%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

### **Natality**

Percent Low Birth Weight Infants	5.0%
Percent of Mothers Receiving	
Care in 1st Trimester	9.3%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup> 1	9.7%
<ul> <li>Percent of Mothers Who</li> </ul>	
Consumed Alcohol While Pregnant <sup>2</sup>	1.3%
•Fertility Rate <sup>3</sup>	. 60.1
•Teenage Pregnancy Rate <sup>4</sup>	. 13.3

# Mortality<sup>5</sup>

ALL CAUSES	773.8
oHeart Disease	260.8
Acute Myocardial Infarction	95.3
Heart Failure	26.9
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	7.2
Malignant Neoplasms (cancer)	176.7
Trachea, Bronchus, & Lung	50.0
Colon, Rectum, & Anus	19.4
Female Breast	16.4
Prostate	18.3
Pancreas	8.6
Leukemia	9.8
Non-Hodgkin's Lymphoma	10.6
Cerebrovascular Disease	53.2
Accidents	33.0
Motor Vehicle Accidents	15.5
Chronic Lower Respiratory Diseases	36.9
Influenza & Pneumonia	21.5
Diabetes Mellitus	21.9
Alzheimer's Disease	16.0
Nephritis, Nephrotic Syndrome, & Nephrosis	17.5
Intentional Self-Harm (suicide)	8.2
Infant Mortality	7.0

- •Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	24.80 FTE
PA/NP/CNM <sup>7</sup>	

# Federally Qualified Health Care Center8:

South Dakota Urban Indian Health, Aberdeen

Community Health Services, WIC<sup>13</sup> & Family

Planning: Brown Co Comm Health Center, Aberdeen

Children's Special Health Services<sup>11</sup>: Brown County

Community Health Center, Aberdeen

**Disease Intervention Office**<sup>12</sup>:

402 S Main St, Aberdeen

# **Family Planning Service Sites:**

Urban Indian Health, Aberdeen

Brown County Community Health Center, Aberdeen

# **Hospitals**

Avera St. Luke's, Aberdeen...... 137 beds/10 swing<sup>13</sup>

# **Specialized Hospital**<sup>16</sup>:

Dakota Plains Surgical Center, Aberdeen....... 8 beds

# **Long-Term Care**

# **Nursing Facilities:**

There are 5 nursing facilities in Brown County. For more information refer to Appendix B, page 229.

# **Assisted Living Centers:**

There are 6 assisted living centers in Brown County. For more information refer to Appendix B, page 229.

# **Residential Living Centers:**

There are 5 residential living centers in Brown County. For more information refer to Appendix B, page 229.

# **Home Health Agencies:**

Avera St. Luke's Home Health, Aberdeen

# **Medicare Certified Hospices:**

North Plains Hospice of Avera St. Luke's, Aberdeen

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>11</sup>CSHS provides diagnostic, consultative and care coordination services for children with special health care needs.


<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.

<sup>&</sup>lt;sup>16</sup>Specialized hospitals do not provide all the services required to qualify as general hospital, such as surgical, obstetrical and emergency services.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

home care.

# **Brule County**

# **Demographic Information**



Brule County is located in the south central part of the state and averages 6.5 persons per square mile.

# **2000 Population Information**

Population	5,364
Percent White	
Percent American Indian	9.1%
Percent Age 65 or Over	16.9%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	741
Percent of the Population	
Population Under 200% of Poverty	1,957
Percent of the Population	37.8%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### 

Percent of Mothers Receiving
Care in 1st Trimester
Percent of Mothers Who
Used Tobacco While Pregnant <sup>2</sup> 17.0%
Percent of Mothers Who
Consumed Alcohol While Pregnant <sup>2</sup>
Fertility Rate <sup>3</sup>
•Teenage Pregnancy Rate <sup>4</sup> 11.4
Mortality <sup>5</sup>
ALL CAUSES
Heart Disease 207.4
• Acute Myocardial Infarction
Heart Failure 29.9
Atherosclerotic Cardiovascular Disease LNE
Malignant Neoplasms (cancer)
Trachea, Bronchus, & Lung
Colon, Rectum, & Anus
Female Breast 20.1
Prostate
Pancreas 14.8
Leukemia 13.5
Non-Hodgkin's LymphomaLNE
Cerebrovascular Disease
Accidents
Motor Vehicle AccidentsLNE
Chronic Lower Respiratory Diseases
Influenza & Pneumonia
Diabetes Mellitus
Alzheimer's Disease
Nephritis, Nephrotic Syndrome, & Nephrosis
Intentional Self-Harm (suicide)
Infant MortalityLNE

# •Denotes a health status indicator which is significantly better than the state average.

oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

•		
Physicians <sup>6</sup>	5.25	FTE
PA/NP/CNM <sup>7</sup>		

Community Health Service/PHA<sup>18</sup>, WIC<sup>13</sup> & Family Planning: 110 West Beebe, Chamberlain

WIC<sup>13</sup> Site: Kimball

# Hospitals

# **Critical Access Hospital**<sup>15</sup>:

Mid-Dakota Hospital,	
Chamberlain	25 beds/10 swing <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

Sunset Valley Haven Home, Chamberlain ..... 40 beds

# **Assisted Living Centers:**

Regency Retirement Assisted Living,	
Chamberlain	36 beds
Riverview Retirement Home, Chamberlain	10 beds
Prairie View ALC, Kimball	16 beds

#### **Residential Living Centers:**

None

# **Home Health Agencies:**

Visiting Nurses Association, Chamberlain

#### **Medicare Certified Hospices:**

Mid-Dakota Community Based Hospice

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

<sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.

 $<sup>{}^{\</sup>rm I}$ All rates based on population are calculated according to the 2000 U.S. Census.


<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

# **Buffalo County**

# **Demographic Information**



Buffalo County is located in the central portion of the state and averages 4.3 persons per square mile.

# **2000 Population Information**

Population	2,032
Percent White	
Percent American Indian	83.3%
Percent Age 65 or Over	6.5%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,152
Percent of the Population	
Population Under 200% of Poverty	1,618
Percent of the Population	79.9%

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	)
oPercent of Mothers Receiving	
Care in 1st Trimester53.5%	)
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup> 40.9%	)
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup> 14.8%	)
oFertility Rate <sup>3</sup> 112.0	)
Teenage Pregnancy Rate <sup>4</sup>	,

# Mortality<sup>5</sup>

oALL CAUSES	1536.8
oHeart Disease	549.6
OAcute Myocardial Infarction	238.0
Heart Failure	
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	290.8
Trachea, Bronchus, & Lung	125.1
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Accidents	108.3
Motor Vehicle Accidents	67.7
Chronic Lower Respiratory Diseases	LNE
Influenza & Pneumonia	LNE
Diabetes Mellitus	73.4
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
oIntentional Self-Harm (suicide)	75.2
Infant Mortality	LNE

- $\bullet \mbox{Denotes}$  a health status indicator which is significantly better than the state average.
- ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.00	FTE
PA/NP/CNM <sup>7</sup>	0.00	FTE

WIC<sup>13</sup> Site: Highway 47, Ft. Thompson

# **Hospitals**

None

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

None

**Medicare Certified Hospices:** 

 $<sup>^2\</sup>mathrm{Data}$  for mothers who used to bacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.


<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Butte County is located on the western border of the state and averages 4.0 people per square mile.

# **2000 Population Information**

Population	9,094
Percent White	
Percent American Indian	2.7%
Percent Age 65 or Over	15.2%
Percent Age 4 or Under	

# **Socioeconomic Indicators**

Population Under 100% of Poverty	1,147
Percent of the Population	12.8%
Population Under 200% of Poverty	3,962
Percent of the Population	44.2%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

oPercent Low Birth Weight Infants	10.5%
Percent of Mothers Receiving	
Care in 1st Trimester	83.1%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	27.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	1.4%
Fertility Rate <sup>3</sup>	67.0
Teenage Pregnancy Rate <sup>4</sup>	19.0
6 6 7	

# Mortality<sup>5</sup>

ALL CAUSES	880.0
Heart Disease	234.6
Acute Myocardial Infarction	52.8
Heart Failure	26.1
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	230.2
oTrachea, Bronchus, & Lung	79.2
Colon, Rectum, & Anus	30.6
Female Breast	22.5
Prostate	25.2
Pancreas	13.4
Leukemia	7.4
Non-Hodgkin's Lymphoma	9.7
Cerebrovascular Disease	50.6
Accidents	48.9
Motor Vehicle Accidents	34.7
oChronic Lower Respiratory Diseases	69.4
oInfluenza & Pneumonia	43.7
Diabetes Mellitus	26.6
Alzheimer's Disease	22.8
Nephritis, Nephrotic Syndrome, & Nephrosis	11.3
Intentional Self-Harm (suicide)	
Infant Mortality	10.0
-	

 $\bullet$  Denotes a health status indicator which is significantly better than the state average.

oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	1.80 FTE
PA/NP/CNM <sup>7</sup>	2.60 FTE

# Rural Health Clinics9:

Family Medical Center, Belle Fourche Newell Family Medical Center, Newell

# **Community Health Services, WIC<sup>13</sup>:**

830 6<sup>th</sup> Avenue, Belle Fourche 121 3<sup>rd</sup> St., Newell

# Hospitals

None

# **Long-Term Care**

#### **Nursing Facilities:**

Belle Fourche Healthcare Center,
Belle Fourche
<b>Assisted Living Centers:</b>
Belle View Assisted Living, Belle Fourche 10 beds
Judy's Assisted Living Center,
Belle Fourche
Senior Living Center, Belle Fourche 8 beds
Sunpointe Senior Estates, Belle Fourche 16 beds
Residential Living Centers:
Buchholz Elderly Care, Belle Fourche 4 beds
Elkhorn Elderly Boarding, Belle Fourche 9 beds
Our (Family Living) Home, Newell 10 beds

# **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.


<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.



Campbell County is located in the north central portion of the state and averages 2.4 persons per square mile.

# **2000 Population Information**

Population	1,782
Percent White	
Percent American Indian	0.6%
Percent Age 65 or Over	22.1%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	251
Percent of the Population	
Population Under 200% of Poverty	726
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

# **Natality**

Percent Low Birth Weight Infants	5.7%
Percent of Mothers Receiving	
Care in 1st Trimester	87.0%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	11.6%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
•Fertility Rate <sup>3</sup>	48.3
Teenage Pregnancy Rate <sup>4</sup>	LNE
· · ·	

# Mortality<sup>5</sup>

•ALL CAUSES	503.3
Heart Disease	201.3
Acute Myocardial Infarction	98.1
Heart Failure	LNE
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	133.1
Trachea, Bronchus, & Lung	27.4
Colon, Rectum, & Anus	29.8
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	36.5
Accidents	41.8
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	LNE
Influenza & Pneumonia	LNE
Diabetes Mellitus	LNE
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>		
PA/NP/CNM <sup>7</sup>	0.90	FTE

# Rural Health Clinics<sup>9</sup>:

Campbell County Clinic, Herreid Campbell County Clinic, Pollock

Community health services are provided by the Walworth County public health services office.

WIC<sup>13</sup> services provided by Walworth County office.

# Hospitals

None

# **Long-Term Care**

**Nursing Facilities:** 

None

#### **Assisted Living Centers:**

Herreid Good Samaritan Center, Herreid ...... 27 beds

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>6</sup> Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Charles Mix County is located in the south central area of the state and averages 8.5 persons per square mile.

# **2000 Population Information**

Population	9,350
Percent White	
Percent American Indian	29.5%
Percent Age 65 or Over	17.3%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	2,462
Percent of the Population	
Population Under 200% of Poverty	5,011
Percent of the Population	

 $<sup>\</sup>overline{\mbox{\mbox{$^{1}$}}}$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Care Resources<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	4.8%
Percent of Mothers Receiving	
Care in 1st Trimester	72.3%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	27.1%
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	4.0%
oFertility Rate <sup>3</sup>	93.0
oTeenage Pregnancy Rate <sup>4</sup>	34.2

# Mortality<sup>5</sup>

11101 tuilty			
ALL CAUSES	815.5		
Heart Disease	234.4		
Acute Myocardial Infarction	108.8		
Heart Failure			
Atherosclerotic Cardiovascular Disease	LNE		
Malignant Neoplasms (cancer)	191.6		
Trachea, Bronchus, & Lung	57.8		
Colon, Rectum, & Anus	20.4		
Female Breast	20.9		
Prostate	44.3		
Pancreas	6.1		
Leukemia	11.0		
Non-Hodgkin's Lymphoma			
Cerebrovascular Disease			
o Accidents	72.6		
Motor Vehicle Accidents	47.2		
Chronic Lower Respiratory Diseases	46.3		
Influenza & Pneumonia	20.7		
Diabetes Mellitus	22.3		
Alzheimer's Disease	10.0		
Nephritis, Nephrotic Syndrome, & Nephrosis	13.8		
Intentional Self-Harm (suicide)	20.4		
oInfant Mortality			
•			

- $\bullet$  Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	3.50 FTE
PA/NP/CNM <sup>7</sup>	3.20 FTE

#### Rural Health Clinics9:

Geddes Medical Clinic, Geddes Avera St. Benedict CRHC, Lake Andes

Platte Medical Clinic, Platte

# Community Health Services, WIC<sup>13</sup> & Family Planning:

Charles Mix County Courthouse, Lake Andes 612 East 7<sup>th</sup> Street, Platte Early Childhood Building, Wagner

# **Hospitals**

Critical Access Hospitals <sup>15</sup> :	
Platte Health Center, Platte	15 beds/9 swing <sup>17</sup>
Wagner Community Memorial	
Hospital, Wagner	20 beds/10 swing <sup>17</sup>

# **Long-Term Care**

#### Nursing Facilities:

Nursing Facilities:
Lake Andes Health Care, Lake Andes42 beds
Platte Care Center, Platte
Wagner Good Samaritan Center, Wagner 67 beds
Assisted Living Centers:
Platte Assisted Living, Platte
Residential Living Centers:
Gentle Touch, Platte
Home Health Agencies:
Platte Home Health, Platte

# Platte Home Health, Platte Medicare Certified Hospices:

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Clark County is located in east central South Dakota and averages 4.3 persons per square mile.

# **2000 Population Information**

Population	4,143
Percent White	98.6%
Percent American Indian	0.7%
Percent Age 65 or Over	22.2%
Percent Age 4 or Under	

# **Socioeconomic Indicators**

Population Under 100% of Poverty	607
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

 ${}^{\bar{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### 1999-2003

Natality		
Percent Low Birth Weight Infants	5.9%	
Percent of Mothers Receiving		
Care in 1st Trimester	67.8%	
Percent of Mothers Who		
Used Tobacco While Pregnant <sup>2</sup>	17.5%	
Percent of Mothers Who		
Consumed Alcohol While Pregnant <sup>2</sup>	LNE	
Fertility Rate <sup>3</sup>	59.0	
Teenage Pregnancy Rate <sup>4</sup>	LNE	
Mortality <sup>5</sup>		
•ALL CAUSES	668.5	
Heart Disease		
Acute Myocardial Infarction	71.5	
Heart Failure		
oAtherosclerotic Cardiovascular Disease		
Malignant Neoplasms (cancer)		
•Trachea, Bronchus, & Lung		
Colon, Rectum, & Anus		
Female Breast		
Prostate		
Pancreas		
Leukemia		
Non-Hodgkin's Lymphoma		
Cerebrovascular Disease		
Accidents	32.9	

•Denotes a health status indicator which is significantly better than the state average.

oDenotes a health status indicator which is significantly worse than the state average.

Intentional Self-Harm (suicide) LNE

Infant Mortality ......LNE

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	0.10 FTE
PA/NP/CNM <sup>7</sup>	1.30 FTE

# Rural Health Clinic<sup>9</sup>:

Clark Medical Center, Clark

Community Health Services & WIC<sup>13</sup>: Clark County Courthouse, Clark

# **Hospitals**

None

# **Long-Term Care**

Nursing	Facilities:
MILLSHIP	racillies:

#### **Assisted Living Centers:**

Fay Wookey Memorial, Cla	ark33	beds
Roetell Senior Housing, Cla	ark 16	beds

#### **Residential Living Centers:**

#### **Home Health Agencies:**

None

#### **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help


ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1.000 females in that age group.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Clay County is located in the southeastern part of the state and averages 32.9 persons per square mile.

# **2000 Population Information**

Population	13,537
Percent White	
Percent American Indian	3.4%
Percent Age 65 or Over	10.1%
Percent Age 4 or Under	

# **Socioeconomic Indicators**

Population Under 100% of Poverty	2,406
Percent of the Population	
Population Under 200% of Poverty	4,955
Percent of the Population	43.7%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	5.3%
Percent of Mothers Receiving	
Care in 1st Trimester	85.4%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	12.3%
<ul> <li>Percent of Mothers Who</li> </ul>	
Consumed Alcohol While Pregnant <sup>2</sup>	
•Fertility Rate <sup>3</sup>	38.8
•Teenage Pregnancy Rate <sup>4</sup>	7.8

# Mortality<sup>5</sup>

ALL CAUSES	794.1
Heart Disease	260.0
Acute Myocardial Infarction	101.6
Heart Failure	25.0
Atherosclerotic Cardiovascular Disease	6.7
Malignant Neoplasms (cancer)	190.0
Trachea, Bronchus, & Lung	45.7
Colon, Rectum, & Anus	20.8
Female Breast	25.2
Prostate	21.7
Pancreas	22.2
Leukemia	6.4
Non-Hodgkin's Lymphoma	12.0
Cerebrovascular Disease	
Accidents	38.6
Motor Vehicle Accidents	19.1
Chronic Lower Respiratory Diseases	41.4
Influenza & Pneumonia	32.4
Diabetes Mellitus	10.0
Alzheimer's Disease	10.2
Nephritis, Nephrotic Syndrome, & Nephrosis	20.3
Intentional Self-Harm (suicide)	9.7
Infant Mortality	

- $\bullet$  Denotes a health status indicator which is significantly better than the state average.
- ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	8.70 FTE
PA/NP/CNM <sup>7</sup>	4.00 FTE

Community Health Services & WIC<sup>13</sup>: Clay County Courthouse, Vermillion

# **Family Planning Service Site:**

Vermillion Family Planning, Vermillion

# **Hospitals**

Sioux Valley Vermillion Hospita	
Vermillion	$36 \text{ beds/}10 \text{ swing}^{17}$

# **Long-Term Care**

# **Nursing Facilities:**

Assisted Living Centers	
Wakonda Heritage Manor, Wakonda	41 beds
Vermillion	66 beds
Sioux Valley Vermillion Care Center,	

# **Assisted Living Centers:**

Prairie Homes Assisted Living, Vermillion 16 bed	ds
Parkview Apartments, Wakonda 6 bec	ls

# **Residential Living Centers:**

Dakota Gardens Senior Living, Vermillion .... 23 beds

# **Home Health Agencies:**

Visiting Nurses Association, Vermillion

# **Medicare Certified Hospices:**

Vermillion Community Hospice, Vermillion

 $<sup>\</sup>overline{\,}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Codington County is located in eastern South Dakota and averages 37.7 persons per square mile.

# **2000 Population Information**

Population	25,897
Percent White	
Percent American Indian	1.9%
Percent Age 65 or Over	14.1%
Percent Age 4 or Under	7.1%

# **Socioeconomic Indicators**

Population Under 100% of Poverty	2,314
Percent of the Population	9.0%
Population Under 200% of Poverty	7,405
Percent of the Population	28.8%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

# **Natality**

Percent Low Birth Weight Infants	7.2%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	87.8%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	23.1%
<ul> <li>Percent of Mothers Who</li> </ul>	
Consumed Alcohol While Pregnant <sup>2</sup>	1.2%
Fertility Rate <sup>3</sup>	63.8
Teenage Pregnancy Rate <sup>4</sup>	16.4

# Mortality<sup>5</sup>

ALL CAUSES	768.5
Heart Disease	223.6
Acute Myocardial Infarction	74.8
Heart Failure	16.7
oAtherosclerotic Cardiovascular Disease	24.1
Malignant Neoplasms (cancer)	200.6
Trachea, Bronchus, & Lung	51.2
Colon, Rectum, & Anus	19.7
Female Breast	31.2
Prostate	24.8
Pancreas	11.7
Leukemia	9.3
Non-Hodgkin's Lymphoma	8.5
Cerebrovascular Disease	
Accidents	35.4
Motor Vehicle Accidents	14.9
Chronic Lower Respiratory Diseases	38.8
Influenza & Pneumonia	23.2
Diabetes Mellitus	18.5
• Alzheimer's Disease	10.9
Nephritis, Nephrotic Syndrome, & Nephrosis	10.1
Intentional Self-Harm (suicide)	
•Infant Mortality	
-	

- $\bullet$  Denotes a health status indicator which is significantly better than the state average.
- ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	25.45 FTE
PA/NP/CNM <sup>7</sup>	5.60 FTE

Community Health Services & WIC<sup>13</sup>: Codington County Courthouse, Watertown

Family Planning Service Site:

Watertown Family Medical, Watertown

**Disease Intervention Office**<sup>12</sup>:

913 5<sup>th</sup> Street SE, Watertown

# **Hospitals**

Prairie Lakes Hospital,			
Watertown	.81	beds/10 swir	າຊ <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

Jenkin's Living Center, Watertown	40 be	ds
Prairie Lakes Care Center, Watertown	51 be	ds

# **Assisted Living Centers:**

There are 7 assisted living centers in Codington County. For more information refer to Appendix B, page 229.

# **Residential Living Centers:**

# **Home Health Agencies:**

Prairie Lakes Home Care, Watertown

# **Medicare Certified Hospices:**

Prairie Lakes Hospice, Watertown

 $<sup>\</sup>overline{\,^1}\mbox{All rates based}$  on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Corson County is located in the north central portion of the state and averages 1.7 persons per square mile.

# **2000 Population Information**

Population	4,181
Percent White	37.2%
Percent American Indian	62.3%
Percent Age 65 or Over	10.5%
Percent Age 4 or Under	9.1%

#### Socioeconomic Indicators

Population Under 100% of Poverty	1,692
Percent of the Population	41.0%
Population Under 200% of Poverty	2,928
Percent of the Population	70.9%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	7.6%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	62.0%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	13.5%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	2.5%
oFertility Rate <sup>3</sup>	102.4
oTeenage Pregnancy Rate <sup>4</sup>	65.1

# Mortality<sup>5</sup>

oall causes	1125.3
Heart Disease	294.1
Acute Myocardial Infarction	111.6
Heart Failure	
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	189.0
Trachea, Bronchus, & Lung	52.8
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	57.5
o Accidents	164.5
oMotor Vehicle Accidents	117.7
Chronic Lower Respiratory Diseases	LNE
Influenza & Pneumonia	46.8
oDiabetes Mellitus	86.2
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	9.5

- Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.10 FTE
PA/NP/CNM <sup>7</sup>	1.00 FTE

# Federally Qualified Health Care Centers<sup>8</sup>:

West River Health Clinic, McIntosh

#### Rural Health Clinic<sup>9</sup>:

West River Health Association, McLaughlin

WIC<sup>13</sup> Site: McLaughlin

# **Hospitals**

None

# **Long-Term Care**

# **Nursing Facilities:**

None

# **Assisted Living Centers:**

None

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

 $<sup>{}^{\</sup>overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide Comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Custer County is located in the southern Black Hills and averages 4.7 persons per square mile.

# **2000 Population Information**

Population	7,275
Percent White	
Percent American Indian	4.5%
Percent Age 65 or Over	16.0%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	659
Percent of the Population	9.4%
Population Under 200% of Poverty	2,147
Percent of the Population	30.7%

See Technical Notes for more information. Source: South Dakota Department of Health

# **Health Status Indicators**<sup>1</sup>

# 1999-2003

Natality	
Percent Low Birth Weight Infants	4.8%
Percent of Mothers Receiving	
Care in 1st Trimester	77.5%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	22.0%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	3.3%
•Fertility Rate <sup>3</sup>	50.0
• Teenage Pregnancy Rate <sup>4</sup>	9.3
5	

# Mortality<sup>5</sup>

ALL CAUSES	802.6
Heart Disease	227.7
Acute Myocardial Infarction	89.7
Heart Failure	22.4
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	186.8
Trachea, Bronchus, & Lung	48.4
Colon, Rectum, & Anus	18.7
Female Breast	21.6
Prostate	28.9
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	59.3
Accidents	68.3
Motor Vehicle Accidents	39.3
Chronic Lower Respiratory Diseases	58.1
Influenza & Pneumonia	17.3
Diabetes Mellitus	37.5
Alzheimer's Disease	11.4
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

• Denotes a health status indicator which is significantly better than the state average.

 $\circ Denotes$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

### **Primary Care**

Physicians <sup>6</sup>	3.70 FTE	3
PA/NP/CNM <sup>7</sup>	1.00 FTE	3

# Rural Health Clinic<sup>9</sup>:

Custer Clinic, Custer

Community Health Services, WIC<sup>13</sup> & Family Planning: Custer County Courthouse Annex, Custer

# **Hospitals**

# Critical Access Hospital<sup>15</sup>

Custer Community Hospital,	
Custer	. 16 beds/8 swing <sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

# **Assisted Living Centers:**

Wedgewood Assisted Living, Custer...... 16 beds

# **Residential Living Centers:**

#### **Home Health Agencies:**

Rapid City Regional-Southern Hills Branch, Custer

# **Medicare Certified Hospices:**

Custer Community Hospital

 $<sup>{}^{\</sup>overline{}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Davison County is located in eastern South Dakota and averages 43.0 persons per square mile.

# **2000 Population Information**

Population	18,741
Percent White	96.2%
Percent American Indian	2.4%
Percent Age 65 or Over	16.2%
Percent Age 4 or Under	6.5%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	2,068
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

# **Natality**

Percent Low Birth Weight Infants
<ul> <li>Percent of Mothers Receiving</li> </ul>
Care in 1st Trimester 87.9%
Percent of Mothers Who
Used Tobacco While Pregnant <sup>2</sup>
Percent of Mothers Who
Consumed Alcohol While Pregnant <sup>2</sup>
•Fertility Rate <sup>3</sup> 63.1
• Teenage Pregnancy Rate <sup>4</sup> 11.9

# Mortality<sup>5</sup>

ALL CALIGES

ALL CAUSES	761.1
Heart Disease	193.7
Acute Myocardial Infarction	60.1
Heart Failure	11.7
oAtherosclerotic Cardiovascular Disease	28.9
Malignant Neoplasms (cancer)	202.3
Trachea, Bronchus, & Lung	52.7
Colon, Rectum, & Anus	28.5
Female Breast	26.6
Prostate	25.7
Pancreas	11.3
Leukemia	11.3
Non-Hodgkin's Lymphoma	7.7
Cerebrovascular Disease	66.5
Accidents	43.7
Motor Vehicle Accidents	19.0
Chronic Lower Respiratory Diseases	45.6
Influenza & Pneumonia	27.2
Diabetes Mellitus	19.1
Alzheimer's Disease	6.4
Nephritis, Nephrotic Syndrome, & Nephrosis	13.4
Intentional Self-Harm (suicide)	15.2
Infant Mortality	5.7

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	19.40 FTE
PA/NP/CNM <sup>7</sup>	5.80 FTE

Community Health Services, WIC<sup>13</sup> & Family Planning: 909 S. Miller, Ave., Mitchell

# Hospitals

Avera Queen of Peace,	
Mitchell	120 beds/10 swing <sup>17</sup>

# **Long-Term Care**

Avera Brady Health and Rehab, Mitchell...... 84 beds

#### **Nursing Facilities:**

Firesteel Healthcare Center, Mitchell 146 beds
<b>Assisted Living Centers:</b>
Avera Brady Assisted Living, Mitchell 30 beds
Countryside Living
Prairie Homes Assisted Living, Mitchell 11 beds
Prairie Homes Assisted Living, Mitchell 11 beds
Prairie Crossings, Mitchell
Prairie Crossings, Mitchell
Residential Living Centers:
Countryside Living, Mitchell25 beds

# 

Avera Queen of Peace Home Health, Mitchell Dakota Physical Therapy Home Health, Mitchell

# **Medicare Certified Hospices:**

Mitchell Community Hospice, Mitchell

 $<sup>{}^{\</sup>overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>6</sup> Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Day County is located in the northeastern part of the state and averages 6.1 persons per square mile.

# **2000 Population Information**

Population	6,267
Percent White	
Percent American Indian	8.2%
Percent Age 65 or Over	23.5%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	869
Percent of the Population	
Population Under 200% of Poverty	2,347
Percent of the Population	38.6%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

<b>Natality</b>
Natality

Percent Low Birth Weight Infants	6.4%
Percent of Mothers Receiving	
Care in 1st Trimester	79.7%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	23.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	2.5%
Fertility Rate <sup>3</sup>	66.5
Teenage Pregnancy Rate <sup>4</sup>	23.7

# Mortality<sup>5</sup>

ALL CAUSES	855.2
oHeart Disease	307.5
oAcute Myocardial Infarction	212.4
Heart Failure	
oAtherosclerotic Cardiovascular Disease	31.9
Malignant Neoplasms (cancer)	201.1
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	29.8
Female Breast	31.3
Prostate	26.1
Pancreas	9.7
Leukemia	LNE
Non-Hodgkin's Lymphoma	6.2
Cerebrovascular Disease	48.6
oAccidents	75.2
Motor Vehicle Accidents	50.4
Chronic Lower Respiratory Diseases	27.6
Influenza & Pneumonia	36.4
Diabetes Mellitus	18.5
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	7.0
Intentional Self-Harm (suicide)	LNE
Infant Mortality	12.2

- Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>		
PA/NP/CNM <sup>7</sup>	0.00	FTE

# Rural Health Clinics<sup>9</sup>:

Waubay Clinic Avera Health, Waubay Lake Area Family Health Center, Webster

**Community Health Services & WIC**<sup>13</sup>: Day County Courthouse, Webster

# **Hospitals**

# **Critical Access Hospital**<sup>15</sup>:

Lake Area Hospital, Webster......25 beds/10 swing<sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

37 beds
35 beds
58 beds

# **Assisted Living Centers:**

# **Residential Living Centers:**

None

# **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

None

home care.

 $<sup>^{1}</sup>$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

17Swing beds are hospital beds that can be used for acute care or nursing



Deuel County borders Minnesota and averages 7.2 persons per square mile.

# **2000 Population Information**

Population	4,498
Percent White	
Percent American Indian	0.7%
Percent Age 65 or Over	20.7%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	462
Percent of the Population	10.3%
Population Under 200% of Poverty	1,421
Percent of the Population	31.7%

See Technical Notes for more information. Source: South Dakota Department of Health

# **Health Status Indicators**<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	8.6%
Percent of Mothers Receiving	
Care in 1st Trimester	89.5%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	15.0%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
•Fertility Rate <sup>3</sup>	58.7
•Teenage Pregnancy Rate <sup>4</sup>	6.5

# Mortality<sup>5</sup>

•ALL CAUSES	662.5
Heart Disease	
Acute Myocardial Infarction	64.8
Heart Failure	14.8
Atherosclerotic Cardiovascular Disease	
Malignant Neoplasms (cancer)	164.2
<ul><li>Trachea, Bronchus, &amp; Lung</li></ul>	26.0
Colon, Rectum, & Anus	19.4
Female Breast	21.6
Prostate	40.6
Pancreas	
Leukemia	
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	47.4
Accidents	
Motor Vehicle Accidents	21.0
Chronic Lower Respiratory Diseases	23.5
Influenza & Pneumonia	16.3
Diabetes Mellitus	
Alzheimer's Disease	11.3
Nephritis, Nephrotic Syndrome, & Nephrosis	15.3
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly better than the state average.
- ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	2.20	FTE
PA/NP/CNM <sup>7</sup>	1.00	FTE

# Rural Health Clinic<sup>9</sup>:

Deuel County Memorial Hospital and Clinic, Clear Lake

# Community Health Services/PHA<sup>18</sup> & WIC<sup>13</sup>:

Deuel County Memorial Hospital, Clear Lake

# **Hospitals**

# **Critical Access Hospital**<sup>15</sup>:

Deuel County Memorial Hospital,	
Clear Lake	. 20 beds/10 swing <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

Deuel County Good Samaritan, Clear Lake.... 68 beds

# **Assisted Living Centers:**

Deuel County Good Samaritan, Clear Lake..... 8 beds

# **Residential Living Centers:**

None

# **Home Health Agencies:**

Deuel County Memorial Hospital & Clinic Home Health, Clear Lake

# **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife. <sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.


<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.

# **Dewey County**

# **Demographic Information**



Dewey County is located in the north central region of the state and averages 2.6 persons per square mile.

# **2000 Population Information**

Population	5,972
Percent White	
Percent American Indian	75.4%
Percent Age 65 or Over	8.3%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,973
Percent of the Population	33.6%
Population Under 200% of Poverty	3,881
Percent of the Population	66.0%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

Percent Low Birth Weight Infants	6.0%
oPercent of Mothers Receiving	
Care in 1st Trimester	66.6%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	34.6%
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
oFertility Rate <sup>3</sup>	109.2
oTeenage Pregnancy Rate <sup>4</sup>	52.6
5 5 .	

Mortality<sup>5</sup>

1,101 talley	
oALL CAUSES	1148.1
Heart Disease	282.7
Acute Myocardial Infarction	128.5
Heart Failure	38.8
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	235.0
Trachea, Bronchus, & Lung	85.2
Colon, Rectum, & Anus	42.3
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	37.0
oAccidents	82.6
oMotor Vehicle Accidents	64.8
Chronic Lower Respiratory Diseases	59.7
Influenza & Pneumonia	
oDiabetes Mellitus	89.3
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	
Infant Mortality	14.0
•	

- Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	1.30 FTE
PA/NP/CNM <sup>7</sup>	6.80 FTE

# Federally Qualified Health Care Centers<sup>8</sup>:

Isabel Community Clinic Inc, Isabel Family Health Center, Eagle Butte

#### Rural Health Clinic<sup>9</sup>:

West Dakota Health Center, Timber Lake

# Community Health Services, WIC<sup>13</sup> & Family Planning:

Dewey County Courthouse, Timber Lake 118 Main, Isabel

# **Hospitals**

Indian Health Service, Eagle Butte

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

#### **Home Health Agencies:**

West Winds Health Services, Timber Lake

# **Medicare Certified Hospices:**

 $<sup>{}^{\</sup>overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

# Douglas County

# **Demographic Information**



Douglas County is located in south central South Dakota and averages 8.0 persons per square mile.

# **2000 Population Information**

Population	3,458
Percent White	
Percent American Indian	1.4%
Percent Age 65 or Over	22.6%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	487
Percent of the Population	
Population Under 200% of Poverty	1,354
Percent of the Population	40.6%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

	Nat	al	it	ty	7	
ıt	Infar	ıts				

Percent Low Birth Weight Infants	4.1%
Percent of Mothers Receiving	
Care in 1st Trimester	80.5%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	10.7%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	61.3
Teenage Pregnancy Rate <sup>4</sup>	

# Mortality<sup>5</sup>

•ALL CAUSES	668.7
Heart Disease	195.5
Acute Myocardial Infarction	110.3
Heart Failure	30.8
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	155.6
•Trachea, Bronchus, & Lung	15.2
Colon, Rectum, & Anus	27.0
Female Breast	LNE
Prostate	50.6
Pancreas	LNE
Leukemia	17.4
Non-Hodgkin's Lymphoma	15.4
Cerebrovascular Disease	39.7
Accidents	67.7
Motor Vehicle Accidents	49.4
Chronic Lower Respiratory Diseases	28.8
Influenza & Pneumonia	16.8
Diabetes Mellitus	30.8
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

- •Denotes a health status indicator which is significantly better than the state average.
- $\circ \text{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	).75	FTE
PA/NP/CNM <sup>7</sup>	1.90	FTE
Rural Health Clinics <sup>9</sup> :		
Prairie Health Clinic, Armour		
Avera Corsica Medical Clinic, Corsica		
Community Health Services/PHA <sup>18</sup> , WIC <sup>1</sup>	<sup>3</sup> &	
Family Planning: Douglas County Memoria	ıl	
Hospital, Armour		

# **Hospitals**

# Critical Access Hospital<sup>15</sup>:

**Family Planning Service Site:**Douglas County Public Health, Armour

Douglas County Memorial Hospital, Armour......11 beds/5 swing<sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

# **Home Health Agencies:**

Douglas County Home Health Services, Armour

# **Medicare Certified Hospices:**

None

home care.

 $<sup>\</sup>overline{^{1}}\mbox{All}$  rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers & the South Dakota Department of Health which delivers community health services



Edmunds County is located in the north central region of the state and averages 3.8 persons per square mile.

# **2000 Population Information**

Population	4,367
Percent White	
Percent American Indian	0.3%
Percent Age 65 or Over	22.2%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	585
Percent of the Population	13.8%
Population Under 200% of Poverty	1,662
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	4.1%
Percent of Mothers Receiving	
Care in 1st Trimester	76.6%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	12.1%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
Fertility Rate <sup>3</sup>	61.0
Teenage Pregnancy Rate <sup>4</sup>	LNE

# Mortality<sup>5</sup>

ALL CAUSES

ALL CAUSES	/ 10. /
Heart Disease	
Acute Myocardial Infarction	87.4
Heart Failure	
Atherosclerotic Cardiovascular Disease	13.2
Malignant Neoplasms (cancer)	151.0
Trachea, Bronchus, & Lung	31.0
Colon, Rectum, & Anus	28.4
Female Breast	39.0
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
oCerebrovascular Disease	109.9
Accidents	42.5
Motor Vehicle Accidents	38.7
Chronic Lower Respiratory Diseases	
Influenza & Pneumonia	17.0
Diabetes Mellitus	31.0
Alzheimer's Disease	12.2
Nephritis, Nephrotic Syndrome, & Nephrosis	18.3
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

- Denotes a health status indicator which is significantly better than the state average.
- ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	
PA/NP/CNM <sup>7</sup>	. 1.20 FTE

# **Rural Health Clinics**<sup>9</sup>:

Avera United Clinic of Ipswich, Ipswich Bowdle Rural Health Clinic, Bowdle

# Community Health Services/PHA<sup>18</sup> & WIC<sup>13</sup>:

Bowdle Hospital, Bowdle & Ipswich

# Hospitals

# 

# **Long-Term Care**

# **Nursing Facilities:**

runsing rucinics.		
Bowdle Nursing Home, Bowdle2	5	beds
Senior Citizen's Home, Hosmer4	0	beds
Beverly Healthcare, Ipswich5	9	beds
<b>Assisted Living Centers:</b>		
Bowdle Hospital Assisted Living Center	4	beds
Bowdle Nursing Home ALC, Bowdle	7	beds
Westwood Assisted Living, Roscoe	6	beds

# **Residential Living Centers:**

None

710.7

**Home Health Agencies:** 

None

# **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

PRHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients. <sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home ears.


<sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.



Fall River County is located in the southwestern corner of the state and averages 4.3 persons per square mile.

# **2000 Population Information**

Population	7,453
Percent White	
Percent American Indian	8.1%
Percent Age 65 or Over	22.5%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	951
Percent of the Population	
Population Under 200% of Poverty	2,856
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	. 5.8%
Percent of Mothers Receiving	
Care in 1st Trimester	71.0%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	31.7%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	. 1.6%
•Fertility Rate <sup>3</sup>	
Teenage Pregnancy Rate <sup>4</sup>	29.4

# Mortality<sup>5</sup>

11101 tuilty			
oALL CAUSES9	10.9		
Heart Disease	54.1		
oAcute Myocardial Infarction1	40.2		
Heart Failure			
Atherosclerotic Cardiovascular Disease	10.4		
Malignant Neoplasms (cancer)1	97.8		
Trachea, Bronchus, & Lung			
Colon, Rectum, & Anus	18.5		
Female Breast	26.2		
Prostate	22.6		
Pancreas	9.4		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	16.5		
Cerebrovascular Disease	65.4		
Accidents	41.4		
Motor Vehicle Accidents	11.4		
oChronic Lower Respiratory Diseases	88.7		
Influenza & Pneumonia	25.2		
Diabetes Mellitus.	25.8		
• Alzheimer's Disease	7.3		
Nephritis, Nephrotic Syndrome, & Nephrosis	10.5		
Intentional Self-Harm (suicide)	28.1		
Infant Mortality			
•			

- $\bullet$  Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	5.40	FTE
PA/NP/CNM <sup>7</sup>	8.40	FTE

# Rural Health Clinic9

Edgemont Memorial Clinic, Edgemont

Community Health Services, WIC<sup>13</sup> & Family Planning: Fall River County Courthouse, Hot Springs

# **Hospitals**

# **Critical Access Hospital**<sup>15</sup>:

Fall River Hospital, Hot Springs......7 beds/6 swing<sup>17</sup>

#### **Veterans' Administration:**

VA Black Hills Health Care System, Hot Springs

# **Long-Term Care**

### **Nursing Facilities:**

Castle Manor, Hot Springs	48 beds
Assisted Living Centers:	
Cactus Hills Retirement, Edgemont	16 beds
Hilltop Assisted Living, Hot Springs	13 beds
Residential Living Centers:	

None

#### **Home Health Agencies:**

None

#### **Medicare Certified Hospices:**

None

home care.

 $<sup>\</sup>overline{\mbox{\mbox{$^{1}$}}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

PRHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing



Faulk County is located in north central South Dakota and averages 2.6 persons per square mile.

# **2000 Population Information**

Population	2,640
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	22.9%
Percent Age 4 or Under	

# **Socioeconomic Indicators**

Population Under 100% of Poverty	468
Percent of the Population	18.1%
Population Under 200% of Poverty	1,114
Percent of the Population	43.0%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

# **Natality**

Percent Low Birth Weight Infants	LNE
oPercent of Mothers Receiving	
Care in 1st Trimester	62.0%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	7.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
Fertility Rate <sup>3</sup>	57.1
Teenage Pregnancy Rate <sup>4</sup>	11.0

# Mortality<sup>5</sup>

- ALL CALIGES

•ALL CAUSES	675.7
Heart Disease	201.1
Acute Myocardial Infarction	71.0
Heart Failure	37.8
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	165.9
Trachea, Bronchus, & Lung	38.5
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	35.8
Accidents	36.9
Motor Vehicle Accidents	28.5
Chronic Lower Respiratory Diseases	27.6
Influenza & Pneumonia	24.7
Diabetes Mellitus	LNE
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	19.9
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

- Denotes a health status indicator which is significantly better than the state average.
- oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.20	FTE
PA/NP/CNM <sup>7</sup>	2.00	FTE

# Rural Health Clinic9:

Faulkton Medical Clinic, Faulkton

# Community Health Services/PHA<sup>18</sup> & WIC<sup>13</sup>:

Faulk County Healthcare Network, Faulkton

# **Hospitals**

Critical Access Hospital <sup>15</sup> :	
Faulk County Memorial Hospital,	
Faulkton	12 beds/6 swing <sup>17</sup>

# **Long-Term Care**

### **Nursing Facilities:**

Faulkton Healthcare Center, Faulkton ............ 49 beds

# **Assisted Living Centers:**

Carousel Living Center, Faulkton......11 beds

# **Residential Living Centers:**

None

# **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.


<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
17Swing beds are hospital beds that can be used for acute care or nursing

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.



Grant County borders Minnesota in northeastern South Dakota and averages 11.5 persons per square mile.

# **2000 Population Information**

Population	
Percent White	98.6%
Percent American Indian	0.6%
Percent Age 65 or Over	19.1%
Percent Age 4 or Under	5.9%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	761
Percent of the Population	9.9%
Population Under 200% of Poverty	2,370
Percent of the Population	30.8%

 $<sup>^{1}</sup>$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### Natality t Infants.....

Percent Low Birth Weight Infants	4.9%
Percent of Mothers Receiving	
Care in 1st Trimester	83.1%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	19.3%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	1.2%
•Fertility Rate <sup>3</sup>	59.7
Teenage Pregnancy Rate <sup>4</sup>	16.4

# Mortality<sup>5</sup>

ALL CAUSES	767.4
Heart Disease	190.0
oAcute Myocardial Infarction	115.7
Heart Failure	
Atherosclerotic Cardiovascular Disease	12.7
Malignant Neoplasms (cancer)	189.5
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	27.0
Female Breast	
Prostate	50.6
Pancreas	LNE
Leukemia	5.9
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	48.3
Motor Vehicle Accidents	24.7
Chronic Lower Respiratory Diseases	
Influenza & Pneumonia	
Diabetes Mellitus	20.5
Alzheimer's Disease	14.8
Nephritis, Nephrotic Syndrome, & Nephrosis	14.6
Intentional Self-Harm (suicide)	
Infant Mortality	
•	

• Denotes a health status indicator which is significantly better than the state average.

oDenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>		
PA/NP/CNM <sup>7</sup>	0.00	FTE

# Rural Health Clinic9

Revillo Clinic/Avera Health, Revillo

Community Health Services, WIC<sup>13</sup> & Family Planning: Grant County Courthouse, Milbank

# Hospitals

# Critical Access Hospital<sup>15</sup>

Milbank Area Hospital/Avera	
Health, Milbank	25 beds/10 swing <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

runsing ruemues.		
Beverly Healthcare, Milbank	81	beds
St. Williams Home for the Aged, Milbank	60	beds
<b>Assisted Living Centers:</b>		
Angela Hall ALC, Milbank	22	beds
Beverly Healthcare-Park Place, Milbank	36	beds
<b>Residential Living Centers:</b>		
Rita's Home Care, Milbank	12	beds
Snell's Residential Adult Care, Milbank	12	beds
Home Health Agencies:		
Milbank Area Home Health, Milbank		

#### **Medicare Certified Hospices:**

St. Bernard's Valley Hospice, Milbank

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.
<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Gregory County borders the west bank of the Missouri River and the state of Nebraska and averages 4.7 persons per square mile.

# **2000 Population Information**

Population	4,792
Percent White	93.2%
Percent American Indian	6.2%
Percent Age 65 or Over	24.8%
Percent Age 4 or Under	4.9%

# Socioeconomic Indicators

Population Under 100% of Poverty	942
Percent of the Population	
Population Under 200% of Poverty	2,206
Percent of the Population	47.0%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

**Natality** 

Percent Low Birth Weight Infants	5.2%
Percent of Mothers Receiving	
Care in 1st Trimester	76.1%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	16.0%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
•Fertility Rate <sup>3</sup>	50.6
• Teenage Pregnancy Rate <sup>4</sup>	10.7
3.6 . 3.4 5	

Mortality

Mortanty		
ALL CAUSES	714.3	
Heart Disease	190.7	
Acute Myocardial Infarction	83.2	
Heart Failure	7.8	
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	35.2	
Malignant Neoplasms (cancer)	189.9	
Trachea, Bronchus, & Lung	40.6	
Colon, Rectum, & Anus	23.0	
Female Breast	20.5	
Prostate	57.5	
Pancreas	14.8	
Leukemia	LNE	
Non-Hodgkin's Lymphoma	8.7	
Cerebrovascular Disease		
Accidents	36.0	
Motor Vehicle Accidents	15.2	
Chronic Lower Respiratory Diseases	23.0	
Influenza & Pneumonia	18.0	
Diabetes Mellitus	21.7	
Alzheimer's Disease	19.6	
Nephritis, Nephrotic Syndrome, & Nephrosis	15.1	
Intentional Self-Harm (suicide)	LNE	
Infant Mortality		
· ·		

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

6 Includes Family Practice, Internal Medicine, Pediatrics,

# **Health Care Resources**

**Primary Care** 

11mary cure		
Physicians <sup>6</sup>	4.00	FTE
PA/NP/CNM <sup>7</sup>	2.70	FTE
Rural Health Clinics <sup>9</sup> :		
Burke Medical Clinic, Burke		
Fairfax Family Clinic Avera Health, Fa	irfax	
Community Health Services, WIC <sup>13</sup>	& Family	
	Physicians <sup>6</sup>	Physicians <sup>6</sup> 4.00 $PA/NP/CNM^7$ 2.70 <b>Rural Health Clinics<sup>9</sup>:</b>

WIC<sup>13</sup> Site: Bonesteel

# Hospitals

Avera Gregory Healthcare C	Center,
Gregory	26 beds/ 13 swing <sup>17</sup>
Critical Access Hospital <sup>15</sup> :	_
Comm Mem Hospital, Burke	16 beds/10 swing <sup>17</sup>

# **Long-Term Care**

Nursing Facilities:	
Avera Rosebud Country Care Center,	
Gregory	55 beds
<b>Assisted Living Centers:</b>	
Haisch Haus, Bonesteel	16 beds
TLC Assisted Living, Burke	16 beds
Silver Threads Residence, Gregory	30 beds
Residential Living Centers:	
Sunnyside Home, Burke	8 beds
Whispering Pines, Burke	9 beds
Pheasant Meadows RLC, Gregory	12 beds
Home Health Agencies:	

Avera Gregory Home Health Agency, Gregory

**Medicare Certified Hospices:** 

None

9RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas. <sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

Obstetrics/Gynecology and General Practice. <sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients. <sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

# Haakon County

# **Demographic Information**



Haakon County is located in the west central region of the state and averages 1.2 persons per square mile.

# **2000 Population Information**

Population	2,196
Percent White	96.4%
Percent American Indian	3.4%
Percent Age 65 or Over	18.0%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	298
Percent of the Population	
Population Under 200% of Poverty	755
Percent of the Population	35.1%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	78.8%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	10.6%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
•Fertility Rate <sup>3</sup>	49.8
Teenage Pregnancy Rate <sup>4</sup>	10.0
. <b>E</b>	

# Mortality<sup>5</sup>

J	
ALL CAUSES	807.3
Heart Disease	214.1
Acute Myocardial Infarction	82.1
Heart Failure	
Atherosclerotic Cardiovascular Disease	22.0
Malignant Neoplasms (cancer)	233.9
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	
Female Breast	LNE
Prostate	LNE
Pancreas	32.7
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	50.9
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	75.8
Influenza & Pneumonia	
Diabetes Mellitus	
Alzheimer's Disease	19.8
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	
Infant Mortality	
,	

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	2.80	FTE
PA/NP/CNM <sup>7</sup>	0.40	FTE

# Rural Health Clinic<sup>9</sup>:

Philip Clinic, Philip

Community Health Services, WIC<sup>13</sup> & Family Planning: Haakon County Courthouse, Philip

# **Hospitals**

# Critical Access Hospital<sup>15</sup>:

	Memorial Hospital,	
Philip	18	beds/15 swing <sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

#### **Assisted Living Centers:**

# **Residential Living Centers:**

None

# **Home Health Agencies:**

Philip Home Health, Philip

# **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

15A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

 $<sup>\</sup>overline{\,^1}\mbox{All rates based}$  on population are calculated according to the 2000 U.S. Census.


 $<sup>^2\</sup>mathrm{Data}$  for mothers who used to bacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

# Hamlin County

# **Demographic Information**



Hamlin County is located in the northeastern region of the state and averages 10.9 persons per square mile.

# **2000 Population Information**

Population	5,546
Percent White	
Percent American Indian	0.9%
Percent Age 65 or Over	19.2%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	660
Percent of the Population	
Population Under 200% of Poverty	2,181
Percent of the Population	39.8%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.3%
Percent of Mothers Receiving	
Care in 1st Trimester	82.6%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	12.8%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
oFertility Rate <sup>3</sup>	89.6
•Teenage Pregnancy Rate <sup>4</sup>	7.8

# Mortality<sup>5</sup>

1,101 talley	
ALL CAUSES	734.9
Heart Disease	166.8
Acute Myocardial Infarction	74.1
Heart Failure	
Atherosclerotic Cardiovascular Disease	18.6
Malignant Neoplasms (cancer)	178.5
•Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	17.2
Female Breast	18.8
Prostate	27.0
Pancreas	11.5
Leukemia	11.6
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	31.1
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	34.3
oInfluenza & Pneumonia	46.9
Diabetes Mellitus	17.5
Alzheimer's Disease	34.5
Nephritis, Nephrotic Syndrome, & Nephrosis	13.1
Intentional Self-Harm (suicide)	
Infant Mortality	
•	

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.40	FTE
PA/NP/CNM <sup>7</sup>	2.30	FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Bryant Clinic, Bryant

#### Rural Health Clinics<sup>9</sup>:

Estelline Medical Clinic, Estelline Lake Norden Clinic, Lake Norden

Community Health Services & WIC<sup>13</sup>: Hamlin

County Courthouse, Hayti

# **Hospitals**

None

# **Long-Term Care**

# **Nursing Facilities:**

Assisted Living Centers:	
Beverly Healthcare, Lake Norden	63 beds
Estelline Nursing and Care Center,	Estelline 60 beds
Parkview Care Center, Bryant	33 beds

# **Residential Living Centers:**

None

# **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Hand County is located in central South Dakota and averages 2.6 persons per square mile.

# **2000 Population Information**

Population	3,741
Percent White	
Percent American Indian	0.3%
Percent Age 65 or Over	24.2%
Percent Age 4 or Under	5.2%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	339
Percent of the Population	9.2%
Population Under 200% of Poverty	1,22
Percent of the Population	33.3%

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

TA T		104	
N	ata	lit	17

# Mortality<sup>5</sup>

wioi tanty		
•ALL CAUSES	693.4	
Heart Disease	115.5	
Acute Myocardial Infarction	32.5	
Heart Failure	19.0	
Atherosclerotic Cardiovascular Disease	LNE	
Malignant Neoplasms (cancer)	192.6	
Trachea, Bronchus, & Lung	37.3	
Colon, Rectum, & Anus	26.0	
Female Breast	LNE	
Prostate	29.0	
Pancreas	12.5	
Leukemia	LNE	
Non-Hodgkin's Lymphoma	13.6	
Cerebrovascular Disease		
Accidents	60.0	
Motor Vehicle Accidents	43.7	
Chronic Lower Respiratory Diseases	38.1	
Influenza & Pneumonia		
Diabetes Mellitus	34.6	
Alzheimer's Disease	LNE	
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE	
Intentional Self-Harm (suicide)	LNE	
Infant Mortality	LNE	

• Denotes a health status indicator which is significantly better than the state average.

 $\circ Denotes$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	2.00 FTE
PA/NP/CNM <sup>7</sup>	2.00 FTE

# Community Health Services/PHA<sup>18</sup>, WIC<sup>13</sup> & Family Planning:

Hand County Memorial Hospital, Miller

# **Family Planning Service Site:**

Mitchell Area Family Planning, Mitchell

# Hospitals

# **Specialized Hospital**<sup>16</sup>:

-	-	
Hand	County Memorial Hospital,	
Miller		$.30 \text{ beds/}15 \text{ swing}^{17}$

# **Long-Term Care**

# **Nursing Facilities:**

Prairie Good Samaritan Center, Miller	57	beds
Assisted Living Centers:		
Courtyard Villa ALC, Miller	23	beds
Prairie Good Samaritan Center, Miller	14	beds
Residential Living Centers:		

# None

# **Home Health Agencies:**

Hand County Home Health Agency, Miller

# **Medicare Certified Hospices:**

None

health services.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.


<sup>&</sup>lt;sup>16</sup> Specialized hospitals do not provide all the services required to qualify as a general hospital, such as surgical, obstetrical and emergency services.
<sup>17</sup> Swing beds are hospital beds that can be used for acute care or nursing

home care.

18 A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community

# Hanson County

# **Demographic Information**



Hanson County is located in southeastern South Dakota and averages 7.2 people per square mile.

# **2000 Population Information**

Population	3,139
Percent White	
Percent American Indian	0.2%
Percent Age 65 or Over	14.9%
Percent Age 4 or Under	7.5%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	521
Percent of the Population	
Population Under 200% of Poverty	1,249
Percent of the Population	39.8%

 $\overline{\,^1}\mbox{All rates based}$  on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.7%
Percent of Mothers Receiving	
Care in 1st Trimester	76.7%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	6.5%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	1.4%
oFertility Rate <sup>3</sup>	95.2
Teenage Pregnancy Rate <sup>4</sup>	10.3

# Mortality<sup>5</sup>

Williamty	
•ALL CAUSES	573.3
Heart Disease	148.0
Acute Myocardial Infarction	58.3
Heart Failure	LNE
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	177.1
Trachea, Bronchus, & Lung	44.3
Colon, Rectum, & Anus	33.9
Female Breast	
Prostate	LNE
Pancreas	LNE
Leukemia	
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	37.6
Motor Vehicle Accidents	
Chronic Lower Respiratory Diseases	22.9
Influenza & Pneumonia	
Diabetes Mellitus	
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	
Infant Mortality	

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

### **Primary Care**

Physicians <sup>6</sup>		
PA/NP/CNM <sup>7</sup>	0.00	FTE

**Community Health Services & WIC**<sup>13</sup>: 430 Main Street, Alexandria

# **Hospitals**

None

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

None

**Medicare Certified Hospices:** 

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

# Harding County

# **Demographic Information**



Harding County is located in the northwestern corner of the state and averages 0.5 persons per square mile.

# **2000 Population Information**

Population	1,353
Percent White	
Percent American Indian	1.1%
Percent Age 65 or Over	13.4%
Percent Age 4 or Under	

# **Socioeconomic Indicators**

Population Under 100% of Poverty	277
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	5.9%
Percent of Mothers Receiving	
Care in 1st Trimester	77.3%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	LNE
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	58.6
Teenage Pregnancy Rate <sup>4</sup>	LNE

# Mortality<sup>5</sup>

ALL CAUSES	632.9
Heart Disease	154.2
Acute Myocardial Infarction	
Heart Failure	
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	181.3
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	85.3
Influenza & Pneumonia	
Diabetes Mellitus	
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	
Infant Mortality	

• Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>		
PA/NP/CNM <sup>7</sup>	1.00	FTE

WIC<sup>13</sup> Site: Harding County Courthouse, Buffalo

# **Hospitals**

None

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

Preferred Home Health Agency, Buffalo

# **Medicare Certified Hospices:**

 $<sup>\</sup>overline{\,^1}\mbox{All rates based}$  on population are calculated according to the 2000 U.S. Census.

 $<sup>^2\</sup>mathrm{Data}$  for mothers who used to bacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.


<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Hughes County is located in the center of the state and averages 22.2 persons per square mile.

# **2000 Population Information**

Population	16,481
Percent White	
Percent American Indian	9.9%
Percent Age 65 or Over	13.7%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,255
Percent of the Population	
Population Under 200% of Poverty	3,451
Percent of the Population	22.0%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

Percent Low Birth Weight Infants	6.8%
Percent of Mothers Receiving	
Care in 1st Trimester	81.3%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	23.0%
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	4.0%
•Fertility Rate <sup>3</sup>	59.3
Teenage Pregnancy Rate <sup>4</sup>	15.9
B. ( 104 5	

# Mortality<sup>5</sup>

ALL CAUSES
•Heart Disease
•Acute Myocardial Infarction48.2
∘Heart Failure37.5
Atherosclerotic Cardiovascular DiseaseLNE
Malignant Neoplasms (cancer)167.2
Trachea, Bronchus, & Lung44.1
Colon, Rectum, & Anus17.4
Female Breast
Prostate24.6
Pancreas
Leukemia
Non-Hodgkin's Lymphoma9.8
Cerebrovascular Disease
•Accidents
Motor Vehicle Accidents
Chronic Lower Respiratory Diseases
Influenza & Pneumonia
Diabetes Mellitus
oAlzheimer's Disease
Nephritis, Nephrotic Syndrome, & Nephrosis10.3
Intentional Self-Harm (suicide)
Infant Mortality6.9

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

6 Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	15.00 FTE
PA/NP/CNM <sup>7</sup>	

Federally Qualified Health Care Center<sup>8</sup>:

South Dakota Urban Indian Health, Pierre

Children's Special Health Services<sup>11</sup>:

809 E. Dakota Avenue, Pierre

**Disease Intervention Office**<sup>12</sup>:

302 East Dakota, Pierre

Community Health Services, WIC<sup>13</sup> and Family

**Planning:** 302 East Dakota, Pierre

**Family Planning Service Sites:** 

Urban Indian Health, Pierre

Pierre Area Family Planning, Pierre

#### **Hospitals**

St. Mary's Hospital, Pierre...........86 beds/10 swing<sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

Maryhouse, Pierre	105 beds
Beverly Healthcare, Pierre	72 beds
<b>Assisted Living Centers:</b>	
Kelly's Retirement Home I, Pierre	15 beds
Kelly's Retirement Home II, Pierre	16 beds
<b>Residential Living Centers:</b>	
Daisy's Country Care, Blunt	3 beds
Dakota Heritage House, Pierre	11 beds
Evergreen Manor Senior RLC, Pierre	17 beds
Parkwood, Pierre	59 beds

# **Home Health Agencies:**

St. Mary's Home Health, Pierre

# **Medicare Certified Hospices:**

St. Mary's Hospice, Pierre

 $<sup>\</sup>overline{\,}^{1}\text{All}$  rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


<sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>11</sup>CSHS provides diagnostic, consultative and care coordination services for children with special health care needs.

<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Hutchinson County is located in the southeastern region of the state and averages 9.9 persons per square mile.

# **2000 Population Information**

Population	8,075
Percent White	
Percent American Indian	0.8%
Percent Age 65 or Over	26.2%
Percent Age 4 or Under	

# Socioeconomic Indicators

Population Under 100% of Poverty	1,002
Percent of the Population	13.0%
Population Under 200% of Poverty	
Percent of the Population	37.2%

See Technical Notes for more information. Source: South Dakota Department of Health

# **Health Status Indicators**<sup>1</sup> 1999-2003

Natal	itv

5.7%
78.6%
9.6%
1.9%
70.6
4.9

# Mortality<sup>5</sup>

ALL CAUSES	752.1
Heart Disease	225.1
Acute Myocardial Infarction	122.9
Heart Failure	
Atherosclerotic Cardiovascular Disease	15.4
Malignant Neoplasms (cancer)	204.5
Trachea, Bronchus, & Lung	25.6
Colon, Rectum, & Anus	20.9
Female Breast	39.5
Prostate	36.1
Pancreas	10.4
Leukemia	6.3
Non-Hodgkin's Lymphoma	12.6
Cerebrovascular Disease	52.8
Accidents	37.6
Motor Vehicle Accidents	17.9
Chronic Lower Respiratory Diseases	
Influenza & Pneumonia	
Diabetes Mellitus	
Alzheimer's Disease	
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	
Infant Mortality	LNE

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Rural Health Clinics <sup>9</sup> :	
PA/NP/CNM <sup>7</sup>	2.80 FTE
Physicians <sup>6</sup>	3.60 FTE

Menno Clinic, Menno

Avera St. Benedict Cert. RH Clinic, Parkston Avera St. Benedict CRHC, Tripp

# Community Health Services/PHA<sup>18</sup> & WIC<sup>13</sup>:

Freeman Community Hospital, Freeman St. Benedict Health Center, Parkston

# **Hospitals**

# **Critical Access Hospitals** 15:

Freeman Comm Hospital, Freeman ... 25 beds/10 swing<sup>17</sup> 

# **Long-Term Care**

# **Nursing Facilities:**

Community Nursing Home, Freeman
Menno-Olivet Care Center, Menno
Avera Bormann Manor, Parkston
Tripp Good Samaritan, Tripp
Assisted Living Centers:
Salem Mennonite Home, Freeman
Avera Bormann Manor, Parkston
Avera St. Benedict Assisted Living, Parkston 16 bed
Golden Touch Assisted Living, Parkston
Residential Living Centers:
Avera Parkston Supervised Living, Parkston 9 bed
Golden Touch, Parkston

# **Home Health Agencies:**

Freeman Community Hospital Home Care, Freeman Avera St. Benedict Health Center HHA, Parkston

# **Medicare Certified Hospices:**

St. Benedict Hospice, Parkston

Freeman Community Hospice, Freeman

6 Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

General Practice.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>3</sup>Supplemental Nutrition Program for Women, Infants and Children

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>7</sup>Swing beds are hospital beds that can be used for acute care or nursing home care. <sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.



Hyde County is located in the central region of the state and averages 1.9 people per square mile.

# **2000 Population Information**

Population	1,671
Percent White	
Percent American Indian	8.4%
Percent Age 65 or Over	22.3%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	200
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	9.5 %
Percent of Mothers Receiving	
Care in 1st Trimester	84.9%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	19.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	70.4
Teenage Pregnancy Rate <sup>4</sup>	LNE

# Mortality<sup>5</sup>

ALL CAUSES	779.2
Heart Disease	
Acute Myocardial Infarction	51.0
oHeart Failure	
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	199.9
Trachea, Bronchus, & Lung	65.0
Colon, Rectum, & Anus	27.2
Female Breast	LNE
Prostate	LNE
Pancreas	
Leukemia	LNE
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	58.1
Accidents	66.9
Motor Vehicle Accidents	48.5
Chronic Lower Respiratory Diseases	
Influenza & Pneumonia	LNE
Diabetes Mellitus	LNE
Alzheimer's Disease	
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.05	FTE
PA/NP/CNM <sup>7</sup>	1.00	FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Highmore Clinic, Highmore

WIC<sup>13</sup> Site: Hyde County Courthouse, Highmore

# **Hospitals**

None

# **Long-Term Care**

#### **Nursing Facilities:**

Highmore Health Care Center, Highmore ..... 40 beds

## **Assisted Living Centers:**

None

#### **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

#### **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.


<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Jackson County is located in western South Dakota and averages 1.6 persons per square mile.

# **2000 Population Information**

Population	2,930
Percent White	
Percent American Indian	49.6%
Percent Age 65 or Over	11.6%
Percent Age 4 or Under	8.3%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,053
Percent of the Population	36.5%
Population Under 200% of Poverty	2,006
Percent of the Population	69.5%

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	7.9%
Percent of Mothers Receiving	
Care in 1st Trimester	74.1%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	21.2%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	3.3%
oFertility Rate <sup>3</sup>	97.2
Teenage Pregnancy Rate <sup>4</sup>	35.0

# Mortality<sup>5</sup>

1VIOI tanty			
ALL CAUSES	890.4		
Heart Disease	244.1		
Acute Myocardial Infarction	151.9		
Heart Failure			
Atherosclerotic Cardiovascular Disease	LNE		
Malignant Neoplasms (cancer)	195.0		
Trachea, Bronchus, & Lung			
Colon, Rectum, & Anus	LNE		
Female Breast	LNE		
Prostate	LNE		
Pancreas	LNE		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	LNE		
Cerebrovascular Disease	45.2		
Accidents	66.8		
Motor Vehicle Accidents	43.9		
Chronic Lower Respiratory Diseases	LNE		
Influenza & Pneumonia	LNE		
Diabetes Mellitus	67.4		
Alzheimer's Disease	LNE		
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE		
Intentional Self-Harm (suicide)	37.9		
Infant Mortality			
•			

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	0.00	FTE
PA/NP/CNM <sup>7</sup>	2.00	FTE

# Community Health Services, WIC<sup>13</sup> & Family Planning:

I-90 Exit 150 Dakota Inn STE 1, Kadoka 100 Clinic Drive, Wanblee

# **Hospitals**

None

# **Long-Term Care**

<b>Nursing Facilities:</b>		
Kadoka Nursing Home.	Kadoka	22 bed

# **Assisted Living Centers:**

None

#### **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

# Jerauld County

# **Demographic Information**



Jerauld County is located in the central region of the state and averages 4.3 persons per square mile.

# **2000 Population Information**

Population	2,295
Percent White	
Percent American Indian	0.8%
Percent Age 65 or Over	25.6%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	464
Percent of the Population	
Population Under 200% of Poverty	856
Percent of the Population	38.0%

 $\overline{\,^1}\overline{\,^2}\overline{\,^3}\overline{\,^3}$  All rates based on population are calculated according to the 2000 U.S. Census.

<sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	11.9%
Percent of Mothers Receiving	
Care in 1st Trimester	73.6%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	8.5%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
Fertility Rate <sup>3</sup>	64.9
Teenage Pregnancy Rate <sup>4</sup>	LNE

# Mortality<sup>5</sup>

Mortanty
•ALL CAUSES597.4
Heart Disease
Acute Myocardial Infarction60.6
Heart Failure41.2
Atherosclerotic Cardiovascular DiseaseLNE
• Malignant Neoplasms (cancer)
Trachea, Bronchus, & Lung44.3
Colon, Rectum, & AnusLNE
Female BreastLNE
ProstateLNE
PancreasLNE
Leukemia LNE
Non-Hodgkin's LymphomaLNE
Cerebrovascular DiseaseLNE
Accidents45.4
Motor Vehicle Accidents41.6
Chronic Lower Respiratory Diseases
Influenza & Pneumonia
Diabetes Mellitus
Alzheimer's DiseaseLNE
Nephritis, Nephrotic Syndrome, & Nephrosis17.5
Intentional Self-Harm (suicide) LNE
Infant MortalityLNE
·

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

## **Primary Care**

Physicians <sup>6</sup>	1.50 FT	Έ
PA/NP/CNM <sup>7</sup>	0.90 FT	Έ

# Federally Qualified Health Care Center8:

Jerauld County Clinic, Wessington Springs

Community Health Services, WIC<sup>13</sup> & Family Planning: 606 1<sup>st</sup> Street NE, Wessington Springs

# Hospitals

# Critical Access Hospital<sup>15</sup>:

Avera Weskota Memorial Medical Center, Wessington Springs .......25 beds/10 swing<sup>17</sup>

# **Long-Term Care**

## **Nursing Facilities:**

Weskota Manor, Wessington Springs......40 beds **Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

#### **Home Health Agencies:**

Weskota Home Health, Wessington Springs

# **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

 $<sup>^2\</sup>mathrm{Data}$  for mothers who used to bacco or consumed alcohol while pregnant are self-reported.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Jones County is located in western South Dakota and averages 1.2 persons per square mile.

# **2000 Population Information**

Population	1,193
Percent White	
Percent American Indian	3.9%
Percent Age 65 or Over	18.2%
Percent Age 4 or Under	4.9%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	188
Percent of the Population	
Population Under 200% of Poverty	492
Percent of the Population	41 2%

 $^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	LNE
Percent of Mothers Receiving	
Care in 1st Trimester	83.7%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	18.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
•Fertility Rate <sup>3</sup>	44.3
Teenage Pregnancy Rate <sup>4</sup>	LNE
5	

# Mortality<sup>5</sup>

•ALL CAUSES	504.1
Heart Disease	121.1
Acute Myocardial Infarction	LNE
Heart Failure	LNE
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	164.0
Trachea, Bronchus, & Lung	LNE
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	
Accidents	LNE
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	64.9
Influenza & Pneumonia	LNE
Diabetes Mellitus	LNE
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.20	FTE
PA/NP/CNM <sup>7</sup>	1.00	FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Jones County Clinic, Murdo

WIC<sup>13</sup> Site: 609 Garfield Avenue, Murdo

# **Hospitals**

None

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

None

**Medicare Certified Hospices:** 

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Kingsbury County is located in east central South Dakota and averages 6.9 persons per square mile.

# **2000 Population Information**

Population	5,815
Percent White	
Percent American Indian	0.6%
Percent Age 65 or Over	24.2%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	561
Percent of the Population	10.0%
Population Under 200% of Poverty	1,737
Percent of the Population	30.9%

 ${}^{\overline{}}$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

Percent Low Birth Weight Infants	6.0%
Percent of Mothers Receiving	
Care in 1st Trimester	82.0%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	12.6%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	3.1%
•Fertility Rate <sup>3</sup>	55.8
Teenage Pregnancy Rate <sup>4</sup>	12.2
_	
N/10 m4 0 124 m5	

# Mortality<sup>5</sup>

•	
ALL CAUSES	809.0
Heart Disease	225.3
Acute Myocardial Infarction	107.9
Heart Failure	20.5
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	190.5
Trachea, Bronchus, & Lung	27.6
Colon, Rectum, & Anus	19.9
Female Breast	34.4
Prostate	58.7
Pancreas	9.6
Leukemia	7.3
Non-Hodgkin's Lymphoma	9.2
Cerebrovascular Disease	67.9
Accidents	40.6
Motor Vehicle Accidents	17.8
Chronic Lower Respiratory Diseases	27.4
Influenza & Pneumonia	27.3
Diabetes Mellitus	24.9
Alzheimer's Disease	30.8
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	
Infant Mortality	
ř	

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	3.10 FTE
PA/NP/CNM <sup>7</sup>	3.50 FTE

# Federally Qualified Health Care Centers8:

Bell Medical Services, DeSmet Lake Preston Clinic, Lake Preston

#### Rural Health Clinic<sup>9</sup>:

Arlington Medical Clinic, Arlington

WIC<sup>13</sup> Site: Kingsbury County Courthouse Annex,

DeSmet

# **Family Planning Service Site:**

Bell Medical Service, DeSmet

# **Hospitals**

# Critical Access Hospitals 15:

DeSmet Mem Hospital, DeSmet..... 17 beds/8 swing<sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

Beverly Healthcare, Arlington	48 beds
DeSmet Good Samaritan, DeSmet	61 beds
Kingsbury Memorial Manor, Lake Preston	44 beds

# **Assisted Living Centers:**

Pine View Assisted Living Center, DeSmet ... 12 beds

# **Residential Living Centers:**

None

# **Home Health Agencies:**

Kingsbury Memorial Home Health Agency, Lake Preston

#### **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>9</sup> RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.
<sup>13</sup> Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.


<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1.000 females in that age group.

# Lake County

# **Demographic Information**



Lake County is located in the east central region of the state and averages 20.0 persons per square mile.

# **2000 Population Information**

Population	11,276
Percent White	97.8%
Percent American Indian	0.9%
Percent Age 65 or Over	16.3%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,024
Percent of the Population	9.7%
Population Under 200% of Poverty	3,005
Percent of the Population	28.5%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

**Natality** 

Percent Low Birth Weight Infants	7.4%
Percent of Mothers Receiving	
Care in 1st Trimester	83.8%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	19.1%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	1.9%
• Fertility Rate <sup>3</sup>	49.0
• Fertility Rate <sup>3</sup> • Teenage Pregnancy Rate <sup>4</sup>	10.0
Tooliage Hoghaney Tate	
Mortality <sup>5</sup>	
•ALL CAUSES	715.1
Heart Disease	
Acute Myocardial Infarction	
Heart Failure	
Atherosclerotic Cardiovascular Disease	27.8
Malignant Neoplasms (cancer)	
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	
Female Breast	
Prostate	
oPancreas	
Leukemia Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	
Accidents	
Motor Vehicle Accidents	
Chronic Lower Respiratory Diseases	
Diabetes Mellitus	
OAlzheimer's Disease	
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	
Infant Mortality	LNE

# •Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	5.00 FTE
PA/NP/CNM <sup>7</sup>	2.00 FTE

Community Health Services, WIC<sup>13</sup> & Family

Planning: Lake County Courthouse, Madison

Hospitals

Critical Access Hosptial<sup>15</sup>:

Madison Community, Madison.....25 beds/15 swing<sup>17</sup>

# **Long-Term Care**

**Nursing Facilities:** 

Bethel Lutheran Home, Madison	59	beds
Beverly Healthcare, Madison	61	beds

**Assisted Living Centers:** 

Bethel Suites, Madison	. 16 beds
Heritage Senior Living, Madison	. 22 beds
Ramona ALC, Ramona	. 16 beds

**Residential Living Centers:** 

#### **Home Health Agencies:**

Madison Home Care, Madison

#### **Medicare Certified Hospices:**

Madison Hospital Hospice, Madison

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

# Lawrence County

# **Demographic Information**



Lawrence County is located along the Wyoming border and averages 27.3 persons per square mile.

# **2000 Population Information**

Population	21,802
Percent White	95.8%
Percent American Indian	2.9%
Percent Age 65 or Over	14.6%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	3,073
Percent of the Population	14.8%
Population Under 200% of Poverty	7,737
Percent of the Population	37.1%

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

Percent Low Birth Weight Infants
Percent of Mothers Receiving
Care in 1st Trimester 84.8%
Percent of Mothers Who
Used Tobacco While Pregnant <sup>2</sup>
•Percent of Mothers Who
Consumed Alcohol While Pregnant <sup>2</sup>
•Fertility Rate <sup>3</sup> 46.0
•Teenage Pregnancy Rate <sup>4</sup> 9.6
Mortality <sup>5</sup>

# ◆ALL CAUSES 730.8 Heart Disease 195.3 ◆Acute Myocardial Infarction 55.8 ○Heart Failure 36.0 Atherosclerotic Cardiovascular Disease LNE Malignant Neoplasms (cancer) 184.4 Trachea, Bronchus, & Lung 51.4 Colon, Rectum, & Anus 22.9 Female Breast 29.6 Prostate 36.4 Pancreas 9.9 Leukemia 4.6

Non-Hodgkin's Lymphoma ......11.7

Cerebrovascular Disease 49.0

Accidents 36.0

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	. 21.20	FTE
PA/NP/CNM <sup>7</sup>	2.40	FTE

# Community Health Services, WIC<sup>13</sup> & Family

**Planning:** Pluma School, Deadwood **WIC**<sup>13</sup> **Site:** 930 10<sup>th</sup> Street, Spearfish

**Family Planning Service Site:** 

Family Health Education Services, Spearfish

**Hospitals** 

#### **Long-Term Care**

## **Nursing Facilities:**

David M. Dorsett, Spearfish ......99 beds

# **Assisted Living Centers:**

There are 10 assisted living centers in Lawrence County. For more information refer to Appendix B, page 229.

# **Residential Living Centers:**

There are 5 residential living centers in Lawrence County. For more information refer to Appendix B, page 229.

# **Home Health Agencies:**

Home Health of the Northern Hills, Spearfish

# **Medicare Certified Hospices:**

Hospice of the Northern Hills, Spearfish

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


 <sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.
 <sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

The Specialized hospitals do not provide all the services required to qualify as a general hospital, such as surgical, obstetrical and emergency services.

 $<sup>\</sup>bar{1}^7 S$ wing beds are hospital beds that can be used for acute care or nursing home care.

# Lincoln County

# **Demographic Information**



Lincoln County is located in southeastern South Dakota and averages 41.7 persons per square mile.

# **2000 Population Information**

Population	24,131
Percent White	
Percent American Indian	0.8%
Percent Age 65 or Over	10.4%
Percent Age 4 or Under	8.0%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,053
Percent of the Population	4.4%
Population Under 200% of Poverty	4,263
Percent of the Population	17.9%

 $\overline{\mbox{^{1}}}\mbox{All rates based}$  on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.0%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	87.5%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	10.5%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	0.8%
oFertility Rate <sup>3</sup>	79.2
•Teenage Pregnancy Rate <sup>4</sup>	12.3

# Mortality<sup>5</sup>

ALL CALISES

•ALL CAUSES	724.3
Heart Disease	193.2
Acute Myocardial Infarction	92.0
Heart Failure	
Atherosclerotic Cardiovascular Disease	13.8
Malignant Neoplasms (cancer)	214.8
Trachea, Bronchus, & Lung	39.6
Colon, Rectum, & Anus	24.7
oFemale Breast	45.4
Prostate	38.9
Pancreas	9.1
Leukemia	7.7
Non-Hodgkin's Lymphoma	7.4
Cerebrovascular Disease	55.3
Accidents	
Motor Vehicle Accidents	14.1
Chronic Lower Respiratory Diseases	30.8
Influenza & Pneumonia	
Diabetes Mellitus	12.8
Alzheimer's Disease	13.7
Nephritis, Nephrotic Syndrome, & Nephrosis	12.3
•Intentional Self-Harm (suicide)	
Infant Mortality	3.8

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	3.80	FTE
PA/NP/CNM <sup>7</sup>	1.80	FTE

# Rural Health Clinic<sup>9</sup>:

Lennox Area Medical Center, Lennox

WIC<sup>13</sup> Site: 723 E. 5<sup>th</sup> Street, Canton

# Hospitals

# **Critical Access Hospital**<sup>15</sup>:

# **Long-Term Care**

#### **Nursing Facilities:**

Canton Good Samaritan, Canton	60 beds
Colonial Manor of Hudson	24 beds
Lennox Good Samaritan Center	64 heds

# **Assisted Living Centers:**

Hiawatha Heights, Canton	16 beds
Hilda's Heritage Home, Lennox	28 beds

#### **Residential Living Centers:**

# **Home Health Agencies:**

None

7242

# **Medicare Certified Hospices:**

None

home care.

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>13</sup>Supplemental Nutrition Program for Women. Infants and Children.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.


<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>15</sup>Supplemental Nutrition Program for Women, Infants and Children.
<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

# Lyman County

# **Demographic Information**



Lyman County is located in central South Dakota and averages 2.4 persons per square mile.

# **2000 Population Information**

Population	3,895
Percent White	
Percent American Indian	
Percent Age 65 or Over	13.6%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	941
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

# **Natality**

Percent Low Birth Weight Infants	9.1%
Percent of Mothers Receiving	
Care in 1st Trimester	69.9%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	31.0%
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	9.6%
oFertility Rate <sup>3</sup>	99.3
Teenage Pregnancy Rate <sup>4</sup>	

# Mortality<sup>5</sup>

ALL CALISES

ALL CAUSES	852./
Heart Disease	184.3
Acute Myocardial Infarction	110.0
Heart Failure	34.5
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	230.6
Trachea, Bronchus, & Lung	84.6
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	21.2
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	62.3
o Accidents	91.9
oMotor Vehicle Accidents	62.6
Chronic Lower Respiratory Diseases	66.7
Influenza & Pneumonia	LNE
Diabetes Mellitus	20.3
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	25.0
Intentional Self-Harm (suicide)	LNE
Infant Mortality	16.5

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	1.00	FTE
PA/NP/CNM <sup>7</sup>	2.50 1	FTE

# **Rural Health Clinic**<sup>9</sup>:

Stanley-Jones Memorial Clinic, Presho

Community Health Services, WIC<sup>13</sup>: Lyman County Courthouse, Kennebec

WIC<sup>13</sup> Site: 187 Oyate Circle, Lower Brule

# Hospitals

None

852.7

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

#### **Residential Living Centers:**

New Life Boarding Home, Presho...... 8 beds

#### **Home Health Agencies:**

None

#### **Medicare Certified Hospices:**

 $<sup>{}^{\</sup>overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



McCook County is located in eastern South Dakota and averages 10.2 persons per square mile.

# **2000 Population Information**

Population	5,832
Percent White	98.9%
Percent American Indian	0.6%
Percent Age 65 or Over	19.5%
Percent Age 4 or Under	6.7%

# **Socioeconomic Indicators**

Population Under 100% of Poverty	458
Percent of the Population	8.1%
Population Under 200% of Poverty	
Percent of the Population	30.4%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	8.6%
Percent of Mothers Receiving	
Care in 1st Trimester	81.7%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	11.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
Fertility Rate <sup>3</sup>	72.7
•Teenage Pregnancy Rate <sup>4</sup>	8.3
E	

# Mortality<sup>5</sup>

•ALL CAUSES	682.2
Heart Disease	236.2
Acute Myocardial Infarction	112.4
Heart Failure	
oAtherosclerotic Cardiovascular Disease	40.2
Malignant Neoplasms (cancer)	168.8
Trachea, Bronchus, & Lung	19.2
Colon, Rectum, & Anus	26.0
Female Breast	19.6
Prostate	34.6
Pancreas	14.2
Leukemia	LNE
Non-Hodgkin's Lymphoma	10.7
Cerebrovascular Disease	35.7
Accidents	37.9
Motor Vehicle Accidents	17.1
Chronic Lower Respiratory Diseases	33.4
Influenza & Pneumonia	34.9
Diabetes Mellitus	16.1
Alzheimer's Disease	13.6
Nephritis, Nephrotic Syndrome, & Nephrosis	7.7
Intentional Self-Harm (suicide)	LNE
Infant Mortality	10.5
5	

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	2.00	FTE
PA/NP/CNM <sup>7</sup>	2.00	FTE

# Rural Health Clinic<sup>9</sup>:

Avera Salem Family Medical Clinic, Salem McGreevy Clinic, Salem

Community Health Services & WIC<sup>13</sup>: McCook County Courthouse, Salem

# **Hospitals**

None

# **Long-Term Care**

#### **Nursing Facilities:**

Diamond Care Center, Bridgewater	39	beds
Canistota Good Samaritan Ctr, Canistota	53	beds
Beverly Healthcare, Salem	63	beds

## **Assisted Living Centers:**

Grandview, Bridgewater	14 beds
Leisure Living, Salem	10 beds

# **Residential Living Centers:**

Leisure Living Apartments,	Salem.	20 beds
----------------------------	--------	---------

#### **Home Health Agencies:**

State Home Care Services, Salem

#### **Medicare Certified Hospices:**

None

ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.


<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife. <sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



McPherson County is located in the north central region of the state and averages 2.6 persons per square

## **2000 Population Information**

Population	2,904
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	29.6%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	640
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

All rates based on population are calculated according to the 2000 U.S.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	3.7%
Percent of Mothers Receiving	
Care in 1st Trimester	78.2%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	6.0%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	64.7
Teenage Pregnancy Rate <sup>4</sup>	LNE

# Mortality<sup>5</sup>

1.101 talley			
•ALL CAUSES	623.4		
Heart Disease	265.7		
Acute Myocardial Infarction	100.4		
Heart Failure			
Atherosclerotic Cardiovascular Disease	LNE		
Malignant Neoplasms (cancer)	150.3		
Trachea, Bronchus, & Lung	24.6		
Colon, Rectum, & Anus	14.7		
Female Breast	LNE		
Prostate	30.3		
Pancreas	26.0		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	LNE		
Cerebrovascular Disease	47.6		
Accidents	25.7		
Motor Vehicle Accidents	LNE		
Chronic Lower Respiratory Diseases	22.6		
Influenza & Pneumonia	LNE		
Diabetes Mellitus	23.2		
Alzheimer's Disease	LNE		
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE		
Intentional Self-Harm (suicide)	LNE		
Infant Mortality			
•			

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	1.00	FTE
PA/NP/CNM <sup>7</sup>	0.00	FTE

# Community Health Services/PHA<sup>18</sup> & WIC<sup>13</sup>:

Eureka Community Hospital, Eureka McPherson County Courthouse, Leola

# **Hospitals**

# **Critical Access Hospital**<sup>15</sup>:

Eureka Comm. Health Services ...... 6 beds/3 swing<sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

#### **Assisted Living Centers:**

Eureka Community Health Services, Eureka.. 10 beds

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

Eureka Home Health Agency, Eureka

#### **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.


<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.



Marshall County is located in the northeastern part of the state and averages 5.5 persons per square mile.

# **2000 Population Information**

Population	4,576
Percent White	
Percent American Indian	6.8%
Percent Age 65 or Over	21.3%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	621
Percent of the Population	13.9%
Population Under 200% of Poverty	1,741
Percent of the Population	38.9%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	4.4%
Percent of Mothers Receiving	
Care in 1st Trimester	74.2%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	24.7%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
•Fertility Rate <sup>3</sup>	48.4
•Teenage Pregnancy Rate <sup>4</sup>	6.6
3.5 5	

# Mortality<sup>5</sup>

1v101 tuilty	
•ALL CAUSES	669.6
Heart Disease	191.7
Acute Myocardial Infarction	112.2
Heart Failure	10.3
oAtherosclerotic Cardiovascular Disease	37.6
Malignant Neoplasms (cancer)	144.8
Trachea, Bronchus, & Lung	42.8
Colon, Rectum, & Anus	27.4
Female Breast	21.8
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	84.9
Accidents	33.1
Motor Vehicle Accidents	24.3
Chronic Lower Respiratory Diseases	43.7
Influenza & Pneumonia	25.3
Diabetes Mellitus	LNE
Alzheimer's Disease	20.6
Nephritis, Nephrotic Syndrome, & Nephrosis	10.8
Intentional Self-Harm (suicide)	LNE
Infant Mortality	

# •Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

## **Primary Care**

Physicians <sup>6</sup>	2.00 FTE
PA/NP/CNM <sup>7</sup>	1.00 FTE

**Community Health Services & WIC**<sup>13</sup>: Community Building, Britton

# **Hospitals**

# Critical Access Hospital<sup>15</sup>:

Marshall County Healthcare Center, Britton .......20 beds/10 swing<sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

## **Assisted Living Centers:**

#### **Residential Living Centers:**

None

#### **Home Health Agencies:**

Marshall County Healthcare Center Home Health, Britton

#### **Medicare Certified Hospices:**

 $<sup>\</sup>overline{^{1}}\mbox{All rates based}$  on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients. <sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

home care.



Meade County is located in west central South Dakota and averages 7.0 persons per square mile.

# **2000 Population Information**

Population	24,253
Percent White	
Percent American Indian	3.4%
Percent Age 65 or Over	10.4%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	2,195
Percent of the Population	9.4%
Population Under 200% of Poverty	7,681
Percent of the Population	32.9

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.9%
Percent of Mothers Receiving	
Care in 1st Trimester	81.7%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	18.0%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	1.5%
Fertility Rate <sup>3</sup>	
Teenage Pregnancy Rate <sup>4</sup>	16.2
. <b>E</b>	

# Mortality<sup>5</sup>

NIOI tanty			
ALL CAUSES	820.1		
Heart Disease	237.7		
Acute Myocardial Infarction	45.3		
○Heart Failure	55.4		
Atherosclerotic Cardiovascular Disease	LNE		
Malignant Neoplasms (cancer)	197.1		
Trachea, Bronchus, & Lung			
Colon, Rectum, & Anus	12.7		
Female Breast	23.1		
Prostate	41.4		
Pancreas			
Leukemia	14.4		
Non-Hodgkin's Lymphoma	15.4		
Cerebrovascular Disease			
Accidents			
Motor Vehicle Accidents	14.4		
oChronic Lower Respiratory Diseases	73.8		
Influenza & Pneumonia			
Diabetes Mellitus	21.8		
Alzheimer's Disease	10.9		
Nephritis, Nephrotic Syndrome, & Nephrosis	11.7		
Intentional Self-Harm (suicide)			
Infant Mortality			
<b>,</b>			

• Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	21.00 FTE
PA/NP/CNM <sup>7</sup>	10.40 FTE

# Federally Qualified Health Care Center8:

Faith Community Health Center, Faith

# Community Health Services, WIC<sup>13</sup> & Family Planning:

Meade County Courthouse, Sturgis 2<sup>nd</sup> Ave West, Faith

#### **Hospitals**

#### **Veterans' Administration:**

VA Black Hills Health Care System, Ft. Meade

# **Critical Access Hospital**<sup>15</sup>:

Sturgis Community Health	Care Center,
Sturgis	25 beds/10 swing <sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

Sturgis Community Health Care Center	84 beas
<b>Assisted Living Centers:</b>	
Footbille Assisted Living Sturgis	16 hede

# 

Home Health Agencies: Sturgis Community HC Center-Home Care, Sturgis

# **Medicare Certified Hospices:**

 $<sup>\</sup>overline{^{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.



Mellette County is located in the south central region of the state and averages 1.6 persons per square mile

# **2000 Population Information**

Population	2,083
Percent White	
Percent American Indian	54.9%
Percent Age 65 or Over	13.2%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	724
Percent of the Population	
Population Under 200% of Poverty	1,249
Percent of the Population	61.8%

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

Percent Low Birth Weight Infants	8.0%
oPercent of Mothers Receiving	
Care in 1st Trimester	63.7%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	23.8%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	5.0%
oFertility Rate <sup>3</sup>	83.7
Teenage Pregnancy Rate <sup>4</sup>	44.4

Mortality<sup>5</sup>

Mortanty			
oall causes	1059.7		
Heart Disease	221.4		
Acute Myocardial Infarction	118.1		
Heart Failure	33.6		
Atherosclerotic Cardiovascular Disease	LNE		
Malignant Neoplasms (cancer)	216.6		
Trachea, Bronchus, & Lung	80.2		
Colon, Rectum, & Anus	LNE		
Female Breast	LNE		
Prostate	LNE		
Pancreas	LNE		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	LNE		
Cerebrovascular Disease			
o Accidents	163.3		
oMotor Vehicle Accidents	124.0		
Chronic Lower Respiratory Diseases			
Influenza & Pneumonia			
Diabetes Mellitus			
Alzheimer's Disease	LNE		
Nephritis, Nephrotic Syndrome, & Nephrosis			
Intentional Self-Harm (suicide)			
Infant Mortality			

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	0.10 FTE
PA/NP/CNM <sup>7</sup>	1.00 FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Mellette County Health Care, White River

# Hospitals

None

# **Long-Term Care**

**Nursing Facilities:** 

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

None

**Medicare Certified Hospices:** 

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.


<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.



Miner County is a located in the east central region of the state and averages 5.1 persons per square mile.

# **2000 Population Information**

Population	2,884
Percent White	98.8%
Percent American Indian	0.4%
Percent Age 65 or Over	23.9%
Percent Age 4 or Under	5.1%

#### Socioeconomic Indicators

Population Under 100% of Poverty	334
Percent of the Population	11.8%
Population Under 200% of Poverty	1,058
Percent of the Population	37.4%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	8.9%
Percent of Mothers Receiving	
Care in 1st Trimester	82.1%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	16.6%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	60.0
Teenage Pregnancy Rate <sup>4</sup>	11.5

# Mortality<sup>5</sup>

Mortality			
•ALL CAUSES	668.0		
Heart Disease	171.3		
Acute Myocardial Infarction	42.2		
Heart Failure			
Atherosclerotic Cardiovascular Disease	29.8		
Malignant Neoplasms (cancer)	141.5		
Trachea, Bronchus, & Lung	35.0		
Colon, Rectum, & Anus	33.0		
Female Breast	42.9		
Prostate	LNE		
Pancreas	LNE		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	LNE		
Cerebrovascular Disease	59.8		
Accidents	48.3		
Motor Vehicle Accidents	36.6		
Chronic Lower Respiratory Diseases	37.1		
Influenza & Pneumonia	LNE		
Diabetes Mellitus	13.7		
Alzheimer's Disease	38.1		
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE		
Intentional Self-Harm (suicide)	LNE		
Infant Mortality	LNE		

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.20	FTE
PA/NP/CNM <sup>7</sup>	2.60	FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Howard Clinic, Howard

#### Rural Health Clinic<sup>9</sup>:

Avera St. Joseph Clinic, Howard

# Community Health Services, WIC<sup>13</sup> & Family Planning: Miner County Courthouse. Howard

# Hospitals

None

# **Long-Term Care**

# **Nursing Facilities:**

Howard Good Samaritan Center, Howard ...... 54 beds **Assisted Living Centers:** 

Whispering Winds Assisted Living, Howard . 20 beds Howard Good Samaritan Center, Howard ...... 6 beds

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

#### **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Minnehaha County is located in southeastern South Dakota and averages 183.1 persons per square mile.

# **2000 Population Information**

Population	148,281
Percent White	
Percent American Indian	2.3%
Percent Age 65 or Over	11.0%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	10,790
Percent of the Population	7.5%
Population Under 200% of Poverty	30,666
Percent of the Population	21.4%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.7%
Percent of Mothers Receiving	
Care in 1st Trimester	80.6%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	18.1%
<ul> <li>Percent of Mothers Who</li> </ul>	
Consumed Alcohol While Pregnant <sup>2</sup>	1.7%
oFertility Rate <sup>3</sup>	69.3
Teenage Pregnancy Rate <sup>4</sup>	23.8
2 2 .	

# Mortality<sup>5</sup>

with tallty	
ALL CAUSES	803.1
Heart Disease	208.6
Acute Myocardial Infarction	46.6
Heart Failure	17.9
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	8.5
Malignant Neoplasms (cancer)	206.7
oTrachea, Bronchus, & Lung	
Colon, Rectum, & Anus	20.5
Female Breast	26.2
Prostate	35.7
Pancreas	11.0
Leukemia	10.0
Non-Hodgkin's Lymphoma	9.8
Cerebrovascular Disease	68.3
Accidents	33.5
Motor Vehicle Accidents	15.3
oChronic Lower Respiratory Diseases	50.0
Influenza & Pneumonia	22.8
Diabetes Mellitus	17.3
oAlzheimer's Disease	22.5
Nephritis, Nephrotic Syndrome, & Nephrosis	12.1
Intentional Self-Harm (suicide)	15.3
Infant Mortality	6.2
Denotes a health status indicator which is significant	tly battar than

 Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

6 Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

# **Health Care Resources**

## **Primary Care**

Physicians <sup>6</sup>	147.40 FTE
PA/NP/CNM <sup>7</sup>	. 29.80 FTE

# Federally Qualified Health Care Centers<sup>8</sup>:

Sioux River Valley Comm. Hlth. Ctr., Sioux Falls SD Urban Indian Health, Sioux Falls

# WIC<sup>13</sup> and Bright Starts<sup>14</sup>:

Downtown, Sioux Falls Eastside, Sioux Falls

Westside, Sioux Falls

# Children's Special Health Services<sup>11</sup>:

South Dakota Children's Specialty Clinics, Sioux Falls

**Disease Intervention Office**<sup>12</sup>:

1200 North West Ave, Sioux Falls

# **Family Planning Service Sites:**

Downtown Women's Health Urban Indian Health

# Hospitals

There are 8 hospitals in Minnehaha County. For more information refer to Appendix B, page 229.

# **Long-Term Care**

There are 40 long-term care facilities in Minnehaha County. For more information refer to Appendix B, page 229-230.

# **Home Health Agencies:**

There are 8 home health agencies in Minnehaha County. For more information refer to Appendix B, page 230.

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


<sup>8</sup> Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>11</sup>CSHS provides diagnostic, consultative and care coordination services for children with special health care needs.

<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.

<sup>&</sup>lt;sup>13</sup>A supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>14</sup>Bright Start nurses provide home visits to expectant and new moms to help them improve their own and their babies' health and to be good parents.



Moody County is located on the Minnesota border and averages 12.7 persons per square mile.

# **2000 Population Information**

Population	6,595
Percent White	84.9%
Percent American Indian	13.8%
Percent Age 65 or Over	14.9%
Percent Age 4 or Under	6.2%

#### Socioeconomic Indicators

Population Under 100% of Poverty	623
Percent of the Population	
Population Under 200% of Poverty	1,933
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	8.8%
Percent of Mothers Receiving	
Care in 1st Trimester	77.6%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	24.7%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	2.6%
Fertility Rate <sup>3</sup>	61.8
Teenage Pregnancy Rate <sup>4</sup>	14.1
Used Tobacco While Pregnant <sup>2</sup> Percent of Mothers Who	2.6%

# Mortality<sup>5</sup>

with turity	
ALL CAUSES	716.8
Heart Disease	272.5
Acute Myocardial Infarction	68.5
Heart Failure	30.3
oAtherosclerotic Cardiovascular Disease	79.1
Malignant Neoplasms (cancer)	139.9
Trachea, Bronchus, & Lung	42.7
Colon, Rectum, & Anus	22.6
Female Breast	LNE
Prostate	46.6
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	39.8
Accidents	48.2
Motor Vehicle Accidents	39.1
Chronic Lower Respiratory Diseases	32.2
Influenza & Pneumonia	LNE
Diabetes Mellitus	22.1
oAlzheimer's Disease	46.9
Nephritis, Nephrotic Syndrome, & Nephrosis	12.4
Intentional Self-Harm (suicide)	LNE
Infant Mortality	
•	

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

## **Primary Care**

Physicians <sup>6</sup>	1.90 FTE
PA/NP/CNM <sup>7</sup>	1.90 FTE

# Rural Health Clinic<sup>9</sup>:

Flandreau Medical Clinic Avera, Flandreau

Community Health Services/PHA<sup>18</sup>, WIC<sup>13</sup> & Family Planning: 309 N Prairie Street, Flandreau

# **Hospitals**

# Critical Access Hospital<sup>15</sup>:

Flandreau Medical Center/Avera H	Health	
Flandreau	18 beds/8	swing <sup>17</sup>

# **Long-Term Care**

#### **Nursing Facilities:**

Riverview Manor, Flandreau	65 beds
<b>Assisted Living Centers:</b>	
Greenleaf Assisted Living, Flandreau	28 beds
Riverview Health Services, Flandreau	4 beds
Trent Assisted Living Center, Trent	16 beds

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

Flandreau Home Care, Flandreau Riverview Home Health, Flandreau

# **Medicare Certified Hospices:**

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

Physician Assistant Nutse Fractition (Certified Nutse Midwife.)

PRHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community

<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

home care.


<sup>&</sup>lt;sup>T</sup>All rates based on population are calculated according to the 2000 U.S. Census.

 $<sup>^2\</sup>mathrm{Data}$  for mothers who used to bacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients. <sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing



Pennington County is located on the Wyoming border and averages 31.9 persons per square mile.

# **2000 Population Information**

Population	88,565
Percent White	
Percent American Indian	9.9%
Percent Age 65 or Over	11.8%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	9,967
Percent of the Population	11.5%
Population Under 200% of Poverty	25,914
Percent of the Population	30.0%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

= \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
Percent Low Birth Weight Infants	6.8%
Percent of Mothers Receiving	
Care in 1st Trimester	79.1%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	24.5%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	2.3%
oFertility Rate <sup>3</sup>	72.1
oTeenage Pregnancy Rate <sup>4</sup>	28.8
Mortality <sup>5</sup>	
ALL CAUSES	824.8

ALL CAUSES	824.8
Heart Disease	229.6
Acute Myocardial Infarction	71.6
Heart Failure	
Atherosclerotic Cardiovascular Disease	15.0
oMalignant Neoplasms (cancer)	211.0
Trachea, Bronchus, & Lung	57.0
Colon, Rectum, & Anus	18.8
Female Breast	23.8
Prostate	39.9
Pancreas	8.9
Leukemia	7.5
Non-Hodgkin's Lymphoma	10.6
Cerebrovascular Disease	47.7
Accidents	
Motor Vehicle Accidents	21.8
oChronic Lower Respiratory Diseases	54.8
Influenza & Pneumonia	18.5
Diabetes Mellitus	21.6
oAlzheimer's Disease	
Nephritis, Nephrotic Syndrome, & Nephrosis	
Intentional Self-Harm (suicide)	12.2
Infant Mortality	8.1
• Denotes a health status indicator which is significan	tly better than

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

6 Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	66.75	FTE
PA/NP/CNM <sup>7</sup>		

# Federally Qualified Health Care Center<sup>8</sup>:

Rapid City Community Health Ctr, Rapid City **Rural Health Clinics**9:

Hill City Medical Clinic, Hill City

Wall Health Services Inc. Wall

Community Health Services, WIC<sup>13</sup> and Bright Start Home Visits<sup>14</sup>:

Department of Health, Rapid City

Community Health Services, WIC<sup>13</sup> & Family Planning:

Main Street, Hill City

WIC<sup>13</sup> Sites:

Ellsworth Air Force Base

Methodist Church, Wall

Children's Special Health Services<sup>11</sup>:

2905 Fifth Street, Rapid City

**Disease Intervention Office**<sup>12</sup>:

909 E St. Patrick STE 7, Rapid City

**Family Planning Contract Agency:** 

Rapid City Community Health Center, Rapid City

# **Hospitals**

There are 5 hospitals in Pennington County. For more information refer to Appendix B, page 230.

# **Long-Term Care**

There are 31 long-term care facilities and 5 home health agencies in Pennington County. For more information refer to Appendix B, page 230.

 $<sup>^1\</sup>mbox{All}$  rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas. <sup>11</sup>CSHS provides diagnostic, consultative and care coordination services for children with special health care needs.


<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>14</sup>Bright Start nurses provide home visits to expectant and new moms to help them improve their own and their babies' health and to be good parents.

# **Perkins County**

# **Demographic Information**



Perkins County is located in northwestern South Dakota and averages 1.2 persons per square mile.

# **2000 Population Information**

Population	3,363
Percent White	
Percent American Indian	2.2%
Percent Age 65 or Over	23.7%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	561
Percent of the Population	16.9%
Population Under 200% of Poverty	1,469
Percent of the Population	44.3%

 ${}^{1}$ All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

Percent Low Birth Weight Infants	2.8%
Percent of Mothers Receiving	
Care in 1st Trimester	69.8%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	13.1%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
•Fertility Rate <sup>3</sup>	50.9
Teenage Pregnancy Rate <sup>4</sup>	LNE
-	

Mortality<sup>5</sup>

ALL CAUSES	731.5
Heart Disease	211.3
Acute Myocardial Infarction	66.0
Heart Failure	21.5
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	163.2
Trachea, Bronchus, & Lung	36.5
Colon, Rectum, & Anus	13.7
Female Breast	LNE
Prostate	26.0
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	16.5
Cerebrovascular Disease	48.5
Accidents	75.0
Motor Vehicle Accidents	42.8
Chronic Lower Respiratory Diseases	
Influenza & Pneumonia	
Diabetes Mellitus	16.7
Alzheimer's Disease	11.7
Nephritis, Nephrotic Syndrome, & Nephrosis	11.5
Intentional Self-Harm (suicide)	25.7
Infant Mortality	
•	

•Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	1.40 FTE
PA/NP/CNM <sup>7</sup>	1.30 FTE

# Federally Qualified Health Care Center8:

West River Health Clinic, Bison

#### Rural Health Clinic<sup>9</sup>:

West River Health Clinic, Lemmon

# Community Health Services, WIC<sup>13</sup> & Family

Planning: 108 W. Main, Bison

Eastside Professional Center, Lemmon

# **Hospitals**

# Critical Access Hospital<sup>15</sup>:

Five Counties Hospital, Lemmon ..... 4 beds/2 swing<sup>17</sup>

# **Long-Term Care**

**Nursing Facilities:** 

Five Counties Nursing Home, Lemmon ....... 44 beds

# **Assisted Living Centers:**

None

#### **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

# **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.


<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

# **Potter County**

# **Demographic Information**



Potter County is located in north central South Dakota and averages 3.1 persons per square mile.

# **2000 Population Information**

Population	2,693
Percent White	
Percent American Indian	1.2%
Percent Age 65 or Over	25.0%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	331
Percent of the Population	
Population Under 200% of Poverty	971
Percent of the Population	36.9%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

## **Natality**

Percent Low Birth Weight Infants	3.2%
Percent of Mothers Receiving	
Care in 1st Trimester	86.4%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	19.2%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	62.1
Teenage Pregnancy Rate <sup>4</sup>	

# Mortality<sup>5</sup>

ALL CAUSES	817.0
Heart Disease	195.0
Acute Myocardial Infarction	68.4
Heart Failure	38.0
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	173.7
Trachea, Bronchus, & Lung	42.8
Colon, Rectum, & Anus	32.6
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	36.2
Accidents	69.8
Motor Vehicle Accidents	52.6
Chronic Lower Respiratory Diseases	72.8
Influenza & Pneumonia	44.5
Diabetes Mellitus	14.0
Alzheimer's Disease	30.3
Nephritis, Nephrotic Syndrome, & Nephrosis	16.3
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

- Denotes a health status indicator which is significantly better than the state average.
- $\circ Denotes$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.40 FTE
PA/NP/CNM <sup>7</sup>	2.00 FTE

# Federally Qualified HealthCare Center8:

Gettysburg Community Care Clinic, Gettysburg

#### Rural Health Clinic<sup>9</sup>:

Hoven Medical Clinic, Hoven

WIC<sup>13</sup> Site: 318 3<sup>rd</sup> Avenue, Hoven

# Hospitals

# Critical Access Hospital<sup>15</sup>:

Gettysburg Memorial, Gettysburg .... 7 beds/3 swing<sup>17</sup>

# **Specialized Hospital**<sup>16</sup>:

Holy Infant Hospital, Hoven......26 beds/13 swing<sup>17</sup>

# **Long-Term Care**

# **Nursing Facilities:**

Oahe Manor, Gettysburg	48 beds
<b>Assisted Living Centers:</b>	
St. Francis ALC, Gettysburg	16 beds
Holy Infant Hospital ALC, Hoven	5 beds
D II d ITI C	

# **Residential Living Centers:**

None

**Home Health Agencies:** 

None

## **Medicare Certified Hospices:**

 $<sup>\</sup>overline{\ }$  All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.


<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas. <sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>16</sup>Specialized hospitals do not provide all the services required to qualify as a general hospital, such as surgical, obstetrical and emergency services.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care



Roberts County is located in the extreme northeastern corner of the state and averages 9.1 persons per square mile.

# **2000 Population Information**

Population	10,016
Percent White	68.3%
Percent American Indian	31.2%
Percent Age 65 or Over	17.0%
Percent Age 4 or Under	6.7%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	2,175
Percent of the Population	22.1%
Population Under 200% of Poverty	4,712
Percent of the Population	47.9%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.0%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	63.6%
<ul><li>Percent of Mothers Who</li></ul>	
Used Tobacco While Pregnant <sup>2</sup>	30.6%
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	4.0%
oFertility Rate <sup>3</sup>	79.2
Teenage Pregnancy Rate <sup>4</sup>	27.5
reenage riegilancy Rate	27.3

# Mortality<sup>5</sup>

•	
oALL CAUSES	879.4
oHeart Disease	275.8
OAcute Myocardial Infarction	125.3
Heart Failure	8.2
OAtherosclerotic Cardiovascular Disease	47.6
Malignant Neoplasms (cancer)	207.2
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	24.3
Female Breast	19.4
Prostate	52.1
Pancreas	17.5
Leukemia	6.1
Non-Hodgkin's Lymphoma	10.8
Cerebrovascular Disease	
o Accidents	79.3
oMotor Vehicle Accidents	55.5
Chronic Lower Respiratory Diseases	26.3
Influenza & Pneumonia	21.5
Diabetes Mellitus	
Alzheimer's Disease	23.9
Nephritis, Nephrotic Syndrome, & Nephrosis	10.0
Intentional Self-Harm (suicide)	
Infant Mortality	
ř	

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	5.50 FTE
PA/NP/CNM <sup>7</sup>	0.60 FTE

# Rural Health Clinic<sup>9</sup>:

Wilmot Clinic, Wilmot

Coteau Des Prairies Hospital-Sisseton Clinic, Sisseton Coteau Des Prairies Hospital-Wilmot Clinic, Wilmot

Community Health Services, WIC<sup>13</sup> & Family Planning: 405 E. Chestnut, Sisseton

# Hospitals

Coteau Des Prairies, Sisseton .........31 beds/8 swing<sup>17</sup> Indian Health Service, Sisseton

### **Long-Term Care**

# **Nursing Facilities:**

ruising ruemues.	
Rosholt Care Center, Rosholt4	2 beds
Tekakwitha Nursing Center, Sisseton8	1 beds
Wilmot Care Center, Wilmot3	0 beds
<b>Assisted Living Centers:</b>	
Rosholt Care Center, Rosholt	8 beds
Greenleaf Assisted Living, Sisseton	7 beds
D! -!	

# **Residential Living Centers:**

None

# **Home Health Agencies:**

Coteau des Prairies Hospital Home Care, Sisseton

Prairie Lakes Home Care, Sisseton

# **Medicare Certified Hospices:**

Tekawitha Nursing Home, Sisseton

All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

PRICE receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care



Sanborn County is located in east central South Dakota and averages 4.7 persons per square mile.

# **2000 Population Information**

Population	2,675
Percent White	
Percent American Indian	0.4%
Percent Age 65 or Over	19.5%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	391
Percent of the Population	
Population Under 200% of Poverty	966
Percent of the Population	

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

## **Natality**

Percent Low Birth Weight InfantsLNE
Percent of Mothers Receiving
Care in 1st Trimester
Percent of Mothers Who
Used Tobacco While Pregnant <sup>2</sup>
Percent of Mothers Who
Consumed Alcohol While Pregnant <sup>2</sup>
Fertility Rate <sup>3</sup>
Teenage Pregnancy Rate <sup>4</sup> LNE

# Mortality<sup>5</sup>

ALL CAUSES	788.3
Heart Disease	194.4
Acute Myocardial Infarction	64.1
Heart Failure	
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	189.2
Trachea, Bronchus, & Lung	61.0
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	25.3
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	64.9
Accidents	34.9
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	28.0
Influenza & Pneumonia	22.2
Diabetes Mellitus	33.4
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	
Infant Mortality	LNE
-	

• Denotes a health status indicator which is significantly better than the state average.

 $\circ Denotes$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	0.30	FTE
PA/NP/CNM <sup>7</sup>	0.40	FTE

# Federally Qualified Health Care Center<sup>8</sup>:

Whiting Memorial Clinic, Woonsocket

Community Health Services & WIC<sup>13</sup>: Sanborn County Courthouse, Woonsocket

# **Hospitals**

None

# **Long-Term Care**

# **Nursing Facilities:**

Prairie View Care Center, Woonsocket	44	beds
Storla Sunset Home, Letcher	32	beds

#### **Assisted Living Centers:**

None

#### **Residential Living Centers:**

None

#### **Home Health Agencies:**

None

## **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

# Shannon County

# **Demographic Information**



Shannon County is located in the southwestern part of the state, along the Nebraska border and averages 6.0 persons per square mile.

# **2000 Population Information**

Population	12,466
Percent White	
Percent American Indian	95.1%
Percent Age 65 or Over	4.8%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	6,385
Percent of the Population	
Population Under 200% of Poverty	9,485
Percent of the Population	77.7%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	)
OPercent of Mothers Receiving	
Care in 1st Trimester 63.1%	)
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	)
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
oFertility Rate <sup>3</sup>	1
oTeenage Pregnancy Rate <sup>4</sup> 71.2	)

# $Mortality^5$

oall causes	1883.9
oHeart Disease	379.0
Acute Myocardial Infarction	54.2
○Heart Failure	84.1
Atherosclerotic Cardiovascular Disease	LNE
o Malignant Neoplasms (cancer)	291.9
Trachea, Bronchus, & Lung	83.8
Colon, Rectum, & Anus	
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
oCerebrovascular Disease	103.9
o Accidents	
oMotor Vehicle Accidents	133.7
Chronic Lower Respiratory Diseases	58.1
oInfluenza & Pneumonia	70.5
ODiabetes Mellitus	158.0
Alzheimer's Disease	LNE
ONephritis, Nephrotic Syndrome, & Nephrosis	69.2
Intentional Self-Harm (suicide)	21.5
Infant Mortality	13.0
•Denotes a health status indicator which is significant	ly better than

# the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>		
PA/NP/CNM <sup>7</sup>	7.00	FTE

WIC<sup>13</sup> Sites: Kyle, Manderson, Pine Ridge, Porcupine

# **Hospitals**

Indian Health Service, Pine Ridge

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

Ellen Stephen Home Care, Pine Ridge

**Medicare Certified Hospices:** 

Ellen Stephen Hospice, Kyle

All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

# Spink County

# **Demographic Information**



Spink County is located in the center of eastern South Dakota and averages 5.0 persons per square mile.

# **2000 Population Information**

Population	7,454
Percent White	
Percent American Indian	1.8%
Percent Age 65 or Over	18.9%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	896
Percent of the Population	12.8%
Population Under 200% of Poverty	2,457
Percent of the Population	35.2%

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

<sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

Percent Low Birth Weight Infants	3.0%
Percent of Mothers Receiving	
Care in 1st Trimester	74.1%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	16.4%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	63.4
•Teenage Pregnancy Rate <sup>4</sup>	6.5

Mortality<sup>5</sup>

Mortality		
ALL CAUSES	797.7	
Heart Disease	232.2	
Acute Myocardial Infarction	102.2	
Heart Failure	21.5	
Atherosclerotic Cardiovascular Disease	LNE	
Malignant Neoplasms (cancer)	192.1	
Trachea, Bronchus, & Lung	50.7	
Colon, Rectum, & Anus	25.3	
Female Breast	25.1	
Prostate	23.4	
Pancreas	8.9	
Leukemia	LNE	
Non-Hodgkin's Lymphoma	12.2	
Cerebrovascular Disease	60.1	
Accidents	33.6	
Motor Vehicle Accidents	15.3	
Chronic Lower Respiratory Diseases	51.7	
Influenza & Pneumonia	34.4	
Diabetes Mellitus	11.4	
Alzheimer's Disease	10.4	
Nephritis, Nephrotic Syndrome, & Nephrosis	10.2	
Intentional Self-Harm (suicide)	LNE	
Infant Mortality	LNE	
•		

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

169

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	2.80	FTE
PA/NP/CNM <sup>7</sup>	3.80	FTE

Rural Health Clinic<sup>9</sup>:

Redfield Clinic, Redfield

Community Health Services, WIC<sup>13</sup> & Family Planning: Spink County Courthouse, Redfield

Hospitals

Critical Access Hospital<sup>15</sup>:

Community Memorial Hospital, Redfield......25 beds/10 swing<sup>17</sup>

# **Long-Term Care**

**Nursing Facilities:** 

**Assisted Living Centers:** 

# **Residential Living Centers:**

None

**Home Health Agencies:** 

Community Memorial Home Health, Redfield

**Medicare Certified Hospices:** 

None

home care.

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.


<sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

17Swing beds are hospital beds that can be used for acute care or nursing



Stanley County is located in the center of the state and averages 1.9 persons per square mile.

# **2000 Population Information**

Population	2,772
Percent White	
Percent American Indian	6.2%
Percent Age 65 or Over	11.0%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	238
Percent of the Population	
Population Under 200% of Poverty	
Percent of the Population	

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants	6.2%
Percent of Mothers Receiving	
Care in 1st Trimester	80.6%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	17.7%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	2.3%
Fertility Rate <sup>3</sup>	62.7
Teenage Pregnancy Rate <sup>4</sup>	12.1

# Mortality<sup>5</sup>

ALL CAUSES	681.2
Heart Disease	
Acute Myocardial Infarction	50.6
Heart Failure	LNE
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	211.2
Trachea, Bronchus, & Lung	35.6
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	130.4
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Accidents	29.6
Motor Vehicle Accidents	LNE
Chronic Lower Respiratory Diseases	45.4
Influenza & Pneumonia	LNE
Diabetes Mellitus	LNE
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

• Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.00	FTE
PA/NP/CNM <sup>7</sup>	0.00	FTE

Community Health Services & WIC<sup>13</sup>: Stanley County Courthouse, Ft. Pierre

# Hospitals

None

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

None

**Medicare Certified Hospices:** 

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.


<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.



Sully County is located in the central region of the state and averages 1.5 persons per square mile.

# **2000 Population Information**

Population	1,556
Percent White	97.8%
Percent American Indian	1.3%
Percent Age 65 or Over	17.4%
Percent Age 4 or Under	5.7%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	186
Percent of the Population	12.1%
Population Under 200% of Poverty	514
Percent of the Population	33.3%

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

#### **Natality**

Percent Low Birth Weight Infants4.4	1%
Percent of Mothers Receiving	
Care in 1st Trimester 91.0	)%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	5%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup> Ll	NE
Fertility Rate <sup>3</sup>	3.4
Teenage Pregnancy Rate <sup>4</sup> Ll	NE

# Mortality<sup>5</sup>

•ALL CAUSES	504.1
Heart Disease	129.8
Acute Myocardial Infarction	LNE
Heart Failure	37.5
Atherosclerotic Cardiovascular Disease	LNE
Malignant Neoplasms (cancer)	181.1
Trachea, Bronchus, & Lung	51.9
Colon, Rectum, & Anus	LNE
Female Breast	LNE
Prostate	LNE
Pancreas	LNE
Leukemia	LNE
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	LNE
Accidents	51.1
Motor Vehicle Accidents	51.1
Chronic Lower Respiratory Diseases	LNE
Influenza & Pneumonia	LNE
Diabetes Mellitus	LNE
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	LNE
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.05	FTE
PA/NP/CNM <sup>7</sup>	1.00	FTE

# Federally Qualified Health Care Center8:

Onida Clinic, Onida

WIC<sup>13</sup> Site: Sully County Courthouse, Onida

# **Hospitals**

None

# **Long-Term Care**

# **Nursing Facilities:**

None

# **Assisted Living Centers:**

None

# **Residential Living Centers:**

None

#### **Home Health Agencies:**

St. Mary's Home Health, Onida/Gettysburg Branch, Onida

#### **Medicare Certified Hospices:**

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

# **Todd County**

# **Demographic Information**



Todd County is located in south central South Dakota, along the Nebraska border and averages 6.5 persons per square mile.

## **2000 Population Information**

Population	9,050
Percent White	
Percent American Indian	86.9%
Percent Age 65 or Over	5.8%
Percent Age 4 or Under	

# **Socioeconomic Indicators**

Population Under 100% of Poverty	4,294
Percent of the Population	48.3%
Population Under 200% of Poverty	6,525
Percent of the Population	73.4%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

**Natality** 

Percent Low Birth Weight Infants	6.8%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	56.1%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	26.7%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	3.4%
oFertility Rate <sup>3</sup>	129.6
oTeenage Pregnancy Rate <sup>4</sup>	80.4
5	

Mortality <sup>5</sup>			
oall causes	1436.3		
oHeart Disease	350.7		
oAcute Myocardial Infarction	133.7		
Heart Failure	36.1		
Atherosclerotic Cardiovascular Disease	LNE		
Malignant Neoplasms (cancer)	223.8		
Trachea, Bronchus, & Lung	46.2		
Colon, Rectum, & Anus			
Female Breast	LNE		
Prostate	LNE		
Pancreas	LNE		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	LNE		
Cerebrovascular Disease			
o Accidents	182.0		
OMotor Vehicle Accidents	103.8		
Chronic Lower Respiratory Diseases	41.1		
oInfluenza & Pneumonia	59.7		
Diabetes Mellitus	48.9		
Alzheimer's Disease	LNE		
Nephritis, Nephrotic Syndrome, & Nephrosis	20.4		
oIntentional Self-Harm (suicide)	32.3		
Infant Mortality	14.2		
•			

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

**Primary Care** 

•	
Physicians <sup>6</sup>	3.40 FTE
PA/NP/CNM <sup>7</sup>	

# Federally Qualified Health Care Center<sup>8</sup>:

Mission Medical Clinic, Mission

# **Hospitals**

Indian Health Service, Rosebud

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

**Residential Living Centers:** 

None

**Home Health Agencies:** 

Lakota Home Health Care, Mission

#### **Medicare Certified Hospices:**

All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

# Tripp County

# **Demographic Information**



Tripp County is located along the Nebraska border in south central South Dakota and averages 4.0 persons per square mile.

## **2000 Population Information**

Population	6,430
Percent White	
Percent American Indian	12.2%
Percent Age 65 or Over	19.7%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	1,254
Percent of the Population	19.9%
Population Under 200% of Poverty	2,793
Percent of the Population	44.4%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	)	
Percent of Mothers Receiving		
Care in 1st Trimester 83.9%	,	
Percent of Mothers Who		
Used Tobacco While Pregnant <sup>2</sup>	,	
Percent of Mothers Who		
Consumed Alcohol While Pregnant <sup>2</sup>	,	
Fertility Rate <sup>3</sup> 63.4		
Teenage Pregnancy Rate <sup>4</sup> 26.2		
Mortality <sup>5</sup>		

ALL CAUSES	815.6
Heart Disease	242.0
Acute Myocardial Infarction	135.8
Heart Failure	10.3
oAtherosclerotic Cardiovascular Disease	42.2
Malignant Neoplasms (cancer)	214.9
Trachea, Bronchus, & Lung	
Colon, Rectum, & Anus	18.1
Female Breast	47.2
Prostate	48.5
Pancreas	10.6
oLeukemia	26.2
Non-Hodgkin's Lymphoma	LNE
Cerebrovascular Disease	65.6
Accidents	58.2
Motor Vehicle Accidents	32.4
Chronic Lower Respiratory Diseases	28.2
Influenza & Pneumonia	31.9
Diabetes Mellitus	16.0
Alzheimer's Disease	LNE
Nephritis, Nephrotic Syndrome, & Nephrosis	13.7
Intentional Self-Harm (suicide)	LNE
Infant Mortality	
•	

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

## **Primary Care**

Physicians <sup>6</sup>	4.00	FTE
PA/NP/CNM <sup>7</sup>	2.40	FTE

# Community Health Services/PHA<sup>18</sup>, WIC<sup>13</sup> & **Family Planning:**

Winner Regional Healthcare Center, Winner

# Hospitals

	Regional Healthcare Center,
Winner	

# **Long-Term Care**

#### **Nursing Facilities:**

willier regional freatmente center,	
Winner	71 beds

# **Assisted Living Centers:**

Elder Inn, Winner	. 35	beds
Golden Prairie Manor, Winner	. 23	beds

# **Residential Living Centers:**

Winner Regional Healthcare Center

None

#### **Home Health Agencies:**

Winner Regional Home Health, Winner

# **Medicare Certified Hospices:**

Hospice of the Plains, Winner

All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,


Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.



Turner County is located in southeastern South Dakota and averages 14.3 persons per square mile.

# **2000 Population Information**

Population	8,849
Percent White	98.9%
Percent American Indian	0.5%
Percent Age 65 or Over	20.4%
Percent Age 4 or Under	5.7%

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	617
Percent of the Population	
Population Under 200% of Poverty	2,469
Percent of the Population	

<sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census.

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

# Natality

Percent Low Birth Weight Infants	6.7%
Percent of Mothers Receiving	
Care in 1st Trimester	80.5%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	15.0%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	
•Fertility Rate <sup>3</sup>	57.8
•Teenage Pregnancy Rate <sup>4</sup>	9.7

# Mortality<sup>5</sup>

ALL CAUSES	778.4
Heart Disease	223.1
Acute Myocardial Infarction	106.1
Heart Failure	13.8
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	4.8
Malignant Neoplasms (cancer)	178.5
Trachea, Bronchus, & Lung	34.5
Colon, Rectum, & Anus	23.4
Female Breast	20.1
Prostate	41.2
Pancreas	17.1
Leukemia	16.9
Non-Hodgkin's Lymphoma	5.9
Cerebrovascular Disease	74.1
Accidents	52.7
Motor Vehicle Accidents	25.2
•Chronic Lower Respiratory Diseases	15.3
Influenza & Pneumonia	20.1
Diabetes Mellitus	28.7
Alzheimer's Disease	10.1
Nephritis, Nephrotic Syndrome, & Nephrosis	19.6
Intentional Self-Harm (suicide)	LNE
Infant Mortality	LNE

• Denotes a health status indicator which is significantly better than the state average.

 $\circ \mbox{Denotes}$  a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice.

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

# **Health Care Resources**

# **Primary Care**

•		
Physicians <sup>6</sup>	3.30	FTE
PA/NP/CNM <sup>7</sup>		

#### **Rural Health Clinics**<sup>9</sup>:

Centerville Medical Clinic, Centerville

Marion Clinic, Marion

Parker Area Medical Clinic, Parker

Viborg Medical Clinic, Viborg

# Community Health Services/PHA<sup>18</sup> & WIC<sup>13</sup>:

Pioneer Memorial Hospital, Viborg Turner County Courthouse, Parker

**Hospitals** 

# **Critical Access Hospital**<sup>15</sup>:

Pioneer Mem Hospital, Viborg ...... 12 beds/6 swing 17

# **Long-Term Care**

### **Nursing Facilities:**

Assisted Living Centers:	
Pioneer Memorial Nursing Home, Viborg	52 beds
Tieszen Memorial Home, Marion	64 beds
Sunset Manor Avera Health, Irene	44 beds
Centerville Good Samaritan, Centerville	45 beds

# **Residential Living Centers:**

# **Home Health Agencies:**

Marion Home Care, Marion

Pioneer Memorial Hospital Home Care, Viborg

# **Medicare Certified Hospices:**

None

<sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas. <sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.
<sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.

# **Union County**

# **Demographic Information**



Union County is located in the southeastern corner of the state and averages 27.3 persons per square mile.

# **2000 Population Information**

Population	12,584
Percent White	
Percent American Indian	0.7%
Percent Age 65 or Over	13.5%
Percent Age 4 or Under	

#### Socioeconomic Indicators

Population Under 100% of Poverty	681
Percent of the Population	5.5%
Population Under 200% of Poverty	
Percent of the Population	20.3%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

Percent Low Birth Weight Infants	6.2%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	91.9%
<ul> <li>Percent of Mothers Who</li> </ul>	
Used Tobacco While Pregnant <sup>2</sup>	12.9%
Percent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	LNE
Fertility Rate <sup>3</sup>	68.7
•Teenage Pregnancy Rate <sup>4</sup>	8.4

# Mortality<sup>5</sup>

ALL CAUSES	762.2
Heart Disease	262.0
OAcute Myocardial Infarction	124.1
Heart Failure	10.2
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	5.7
Malignant Neoplasms (cancer)	188.2
Trachea, Bronchus, & Lung	48.7
Colon, Rectum, & Anus	33.1
Female Breast	15.9
Prostate	48.2
Pancreas	11.7
Leukemia	7.1
Non-Hodgkin's Lymphoma	5.9
Cerebrovascular Disease	34.0
Accidents	36.2
Motor Vehicle Accidents	19.7
Chronic Lower Respiratory Diseases	41.1
Influenza & Pneumonia	23.1
Diabetes Mellitus	30.3
Alzheimer's Disease	12.6
Nephritis, Nephrotic Syndrome, & Nephrosis	11.7
Intentional Self-Harm (suicide)	9.7
Infant Mortality	
• Denotes a health status indicator which is significantly	, hetter than

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics, Obstetrics/Gynecology and General Practice

<sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	3.90	FTE
PA/NP/CNM <sup>7</sup>	4.00	FTE

#### Federally Qualified Health Care Centers<sup>8</sup>:

Alcester Medical Clinic, Alcester Community Health Clinic, Elk Point

# **Rural Health Clinic<sup>9</sup>:**

Sioux Valley Clinic, Beresford

WIC<sup>13</sup> Site: Union County Courthouse, Elk Point

# **Family Planning Service Sites:**

Alcester Medical Center, Alcester

Elk Point Community Health Clinic, Elk Point

# Hospitals

# **Specialized Hospital**<sup>16</sup>:

Siouxland Surgery Center, Dakota Dunes ..... 10 beds

#### **Long-Term Care**

#### **Nursing Facilities:**

ruising racinites.	
Morningside Manor, Alcester	54 beds
Bethesda of Beresford, Beresford	72 beds
Prairie Estates Care Center, Elk Point	37 beds
Assisted Living Centers:	
Morningside Manor, Alcester	9 beds
WEL-Life at Elk Point, Elk Point	30 beds

# **Residential Living Centers:**

# **Home Health Agencies:**

WEL Home Health, Elk Point

# **Medicare Certified Hospices:**

 $<sup>^1\</sup>mbox{All}$  rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

<sup>&</sup>lt;sup>8</sup>Provide comprehensive primary care to anyone, regardless of ability to pay or to those at 200% of the poverty level on a sliding fee scale.

<sup>&</sup>lt;sup>9</sup>RHCs receive increased Medicare and Medicaid reimbursement to help ensure the provision of primary care services to rural and underserved areas.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>16</sup>Specialized hospitals do not provide all the services required to qualify as a general hospital, such as surgical, obstetrical and emergency services.



Walworth County is located in north central South Dakota, near the North Dakota border and averages 8.4 persons per square mile.

## **2000 Population Information**

Population	5,974
Percent White	
Percent American Indian	13.0%
Percent Age 65 or Over	21.9%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,049
Percent of the Population	18.2%
Population Under 200% of Poverty	2,506
Percent of the Population	43.5%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup>

**Natality** 

• Percent Low Birth Weight Infants		
Percent of Mothers Receiving		
Care in 1st Trimester		
Percent of Mothers Who		
Used Tobacco While Pregnant <sup>2</sup>		
Percent of Mothers Who		
Consumed Alcohol While Pregnant <sup>2</sup>		
Fertility Rate <sup>3</sup>		
Teenage Pregnancy Rate <sup>4</sup>		
Mortality <sup>5</sup>		

Mortality <sup>5</sup>			
oALL CAUSES	895.5		
oHeart Disease	316.3		
Acute Myocardial Infarction	144.8		
Heart Failure			
Atherosclerotic Cardiovascular Disease	24.1		
Malignant Neoplasms (cancer)	184.0		
Trachea, Bronchus, & Lung	64.1		
Colon, Rectum, & Anus	14.8		
Female Breast	25.7		
Prostate	18.8		
Pancreas	LNE		
Leukemia	LNE		
Non-Hodgkin's Lymphoma	9.5		
Cerebrovascular Disease	60.1		
Accidents	44.2		
Motor Vehicle Accidents	LNE		
Chronic Lower Respiratory Diseases	31.7		
Influenza & Pneumonia	19.7		
Diabetes Mellitus	36.3		
oAlzheimer's Disease	36.4		
Nephritis, Nephrotic Syndrome, & Nephrosis	8.7		
Intentional Self-Harm (suicide)	LNE		
Infant Mortality	LNE		

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

**Primary Care** 

Physicians <sup>6</sup>	5.80	FTE
PA/NP/CNM <sup>7</sup>	3.70	FTE

# Community Health Services/PHA<sup>18</sup>, WIC<sup>13</sup> & Family Planning:

Mobridge Regional Hospital, Mobridge

WIC<sup>13</sup> Site: 4416 Main Street, Selby

# Hospitals

**Critical Access Hospital**<sup>15</sup>:

Mobridge Regional, Mobridge.....25 beds/10 swing<sup>17</sup>

# **Long-Term Care**

**Nursing Facilities:** 

Beverly Healthcare, Mobridge	109 beds
Selby Good Samaritan Center, Selby	
<b>Assisted Living Centers:</b>	
Prairie Sunset Village, Mobridge	16 beds

Selby Good Samaritan Assisted Living, Selby .8 beds

# **Residential Living Centers:**

None

# **Home Health Agencies:**

Mobridge Regional Hospital Home Health, Mobridge **Medicare Certified Hospices:** 

None

<sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

 $<sup>^{\</sup>overline{1}}$ All rates based on population are calculated according to the 2000 U.S. Census.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

Obstetrics/Gynecology and General Practice.


<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>15</sup>A rural hospital designated as a critical access hospital (CAH) is eligible for higher reimbursement when services are provided to Medicare patients.

<sup>&</sup>lt;sup>17</sup>Swing beds are hospital beds that can be used for acute care or nursing home care.

<sup>&</sup>lt;sup>18</sup>A partnership of the local county government, local health care providers and the South Dakota Department of Health which delivers community health services.



Yankton County is located in southeastern South Dakota on the Nebraska border and averages 41.5 persons per square mile.

# **2000 Population Information**

Population	21,652
Percent White	
Percent American Indian	2.2%
Percent Age 65 or Over	14.6%
Percent Age 4 or Under	

#### **Socioeconomic Indicators**

Population Under 100% of Poverty	1,920
Percent of the Population	9.6%
Population Under 200% of Poverty	5,858
Percent of the Population	29.3%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

Natality	
Percent Low Birth Weight Infants	6.4%
<ul> <li>Percent of Mothers Receiving</li> </ul>	
Care in 1st Trimester	88.2%
Percent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	21.1%
<ul> <li>Percent of Mothers Who</li> </ul>	
Consumed Alcohol While Pregnant <sup>2</sup>	1.1%
•Fertility Rate <sup>3</sup>	60.2

# Mortality<sup>5</sup>

• Teenage Pregnancy Rate<sup>4</sup>.....

ALL CALIGES

ALL CAUSES	757.5
Heart Disease	232.1
Acute Myocardial Infarction	93.8
Heart Failure	28.1
<ul> <li>Atherosclerotic Cardiovascular Disease</li> </ul>	4.8
Malignant Neoplasms (cancer)	178.9
Trachea, Bronchus, & Lung	38.2
Colon, Rectum, & Anus	24.1
Female Breast	23.7
Prostate	25.1
Pancreas	11.5
Leukemia	
Non-Hodgkin's Lymphoma	
Cerebrovascular Disease	56.7
Accidents	36.3
Motor Vehicle Accidents	17.4
Chronic Lower Respiratory Diseases	29.6
Influenza & Pneumonia	29.6
Diabetes Mellitus	
Alzheimer's Disease	10.6
Nephritis, Nephrotic Syndrome, & Nephrosis	15.4
Intentional Self-Harm (suicide)	12.1
Infant Mortality	8.5

•Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

#### **Primary Care**

Physicians <sup>6</sup>	
PA/NP/CNM <sup>7</sup>	2.00 FTE

Community Health Services & WIC<sup>13</sup>: Yankton County Courthouse, Yankton

Family Planning Service Site: Yankton Family Planning, Yankton

# **Hospitals**

Avera Sacred Heart, Yankton 144 beds/10 swing <sup>17</sup>
Specialized Hospitals <sup>16</sup> :
SD Human Services Center, Yankton 133 beds
Lewis & Clark Specialty Hospital, Yankton 6 beds

#### **Long-Term Care**

#### **Nursing Facilities:**

0	
Avera Sister James, Yankton	187 beds
SD Human Services Centers, Yankton	69 beds
Assisted Living Centers:	
Cedar Village, Yankton	21 beds
Majestic Bluffs, Yankton	32 beds
Pine Lane Estates, Yankton	36 beds
Prairie Homes ALC, Yankton	32 beds
Pine Lane West ALC, Yankton	16 beds
Residential Living Centers:	

TT	**			•		
Prairie	Ho	mes	ALC,	Yankton	. 8	beds
Pine L	ane	wes	st, yan	kton	18	beas

# **Home Health Agencies:**

Avera Sacred Heart Home Care Services, Yankton YMC Home Care. Yankton

# **Medicare Certified Hospices:**

Avera Sacred Heart Hospice, Yankton

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S.

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.


<sup>&</sup>lt;sup>6</sup>Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children. <sup>16</sup>Specialized hospitals do not provide all the services required to qualify as a

general hospital, such as surgical, obstetrical and emergency services. Swing beds are hospital beds that can be used for acute care or nursing



Ziebach County is located in north central South Dakota and averages 1.3 persons per square mile.

# **2000 Population Information**

Population	2,519
Percent White	26.4%
Percent American Indian	73.2%
Percent Age 65 or Over	7.5%
Percent Age 4 or Under	10.8%

#### Socioeconomic Indicators

Population Under 100% of Poverty	1,256
Percent of the Population	
Population Under 200% of Poverty	1,817
Percent of the Population	72.1%

See Technical Notes for more information. Source: South Dakota Department of Health

# Health Status Indicators<sup>1</sup> 1999-2003

#### **Natality**

Percent Low Birth Weight Infants	5.7%
oPercent of Mothers Receiving	
Care in 1st Trimester	58.6%
oPercent of Mothers Who	
Used Tobacco While Pregnant <sup>2</sup>	32.9%
oPercent of Mothers Who	
Consumed Alcohol While Pregnant <sup>2</sup>	12.9%
Fertility Rate <sup>3</sup>	77.2
Teenage Pregnancy Rate <sup>4</sup>	31.1

# Mortality<sup>5</sup>

· · · · · · · · · · · · · · · · · · ·
ALL CAUSES946.8
Heart Disease
Acute Myocardial Infarction46.9
Heart Failure LNE
Atherosclerotic Cardiovascular Disease LNE
Malignant Neoplasms (cancer)
Trachea, Bronchus, & LungLNE
Colon, Rectum, & AnusLNE
Female BreastLNE
ProstateLNE
Pancreas LNE
Leukemia LNE
Non-Hodgkin's LymphomaLNE
Cerebrovascular Disease 81.0
Accidents
Motor Vehicle Accidents
Chronic Lower Respiratory Diseases LNE
Influenza & PneumoniaLNE
Diabetes Mellitus82.0
Alzheimer's DiseaseLNE
Nephritis, Nephrotic Syndrome, & NephrosisLNE
Intentional Self-Harm (suicide) LNE
Infant MortalityLNE
·

• Denotes a health status indicator which is significantly better than the state average.

ODenotes a health status indicator which is significantly worse than the state average.

LNE (Low Number of Events): is used because the rate or percent may be unreliable.

<sup>5</sup>All mortality rates except infant mortality and fetal deaths are age adjusted death rates per 100,000 population. Infant mortality is the number of infant (less than one year) deaths per 1,000 live births. Fetal death rate is the number of fetal deaths per 1,000 live births and fetal deaths combined.

# **Health Care Resources**

# **Primary Care**

Physicians <sup>6</sup>	0.00 FTE
PA/NP/CNM <sup>7</sup>	

Community Health Services, WIC<sup>13</sup> & Family Planning: Ziebach County Courthouse, Dupree

**Disease Intervention Office**<sup>12</sup>:

Ziebach County Courthouse, Dupree

# **Hospitals**

None

# **Long-Term Care**

**Nursing Facilities:** 

None

**Assisted Living Centers:** 

None

**Residential Living Centers:** 

None

**Home Health Agencies:** 

None

**Medicare Certified Hospices:** 

<sup>&</sup>lt;sup>1</sup>All rates based on population are calculated according to the 2000 U.S. Census

<sup>&</sup>lt;sup>2</sup>Data for mothers who used tobacco or consumed alcohol while pregnant are self-reported.

<sup>&</sup>lt;sup>3</sup>Fertility rate is all births per 1,000 women age 15-44.

<sup>&</sup>lt;sup>4</sup>Teenage pregnancy rate is the live births, fetal deaths and abortion for females age 15-17 per 1,000 females in that age group.

<sup>6</sup> Includes Family Practice, Internal Medicine, Pediatrics,

Obstetrics/Gynecology and General Practice.

<sup>&</sup>lt;sup>7</sup>Physician Assistant/Nurse Practitioner/Certified Nurse Midwife.

<sup>&</sup>lt;sup>13</sup>Supplemental Nutrition Program for Women, Infants and Children.

<sup>&</sup>lt;sup>12</sup>DIS coordinate infectious disease prevention and control programs.